GOLDRUSH • NUGGET NITE CLUB • APPRENTICE

6 OZ SMALL POPPERS

Small but mighty. Whether you are popping corn at home, a convenience store, a school or a cafeteria, C. Cretors and Company makes it easy and effortless with our small 6 oz poppers. They're perfect for work, school, or a store. Cretors popping equipment combines clean design and exceptional technology with unsurpassed durability. Helping you to pop delicious popcorn each and every time.




Goldrush Red Top

- 6 oz nickel plated all-steel kettle
- · First on the market to have the patented One-Pop safety option
- Top seller



Goldrush Antique

- 6 oz nickel plated all-steel kettle
- Hand-painted scrollwork



Nugget

- 6 oz nickel plated all-steel kettle
- Aluminum frame
- Excellent entry level popper




Nite Club

- 6 oz nickel plated all-steel kettle
- Tinted windows and etched glass
- Inited windows and etched glass
- Subtle yet sophisticated design



Apprentice

- 6 oz stainless-steel kettle
- Stainless-steel frame and top
- Affordable quality





T-2000 • TRILOGY

8 OZ SMALL POPPERS

DODROIRN

T-2000 Red Top

- 8 oz nickel plated all-steel kettle
- · Increased capacity with compact footprint
- · Profit sharing and rental market workhorse

With a slightly larger cabinet and kettle size, the T-2000 produces 33% more popcorn per cycle than the Goldrush. The T-2000 is the perfect mid-range popper. Choose between a standard or antique-style cabinet.



- 8 oz nickel plated all-steel kettle
- · Hand-painted scrollwork



Uses standard 120v/15amp outlet in U.S., 120v/20amp in Canada

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

ULISTED V CULIISTED CE







T-3000 • PROFITEER

12 AND 14 OZ SMALL POPPERS

With an almost 50% increase in popcorn production over the T-2000, the T-3000 is the gateway in the Cretors small popper line to our large popcorn machines. The T-3000 Plus and the Profiteer are the only small concession poppers that are equipped for automatic oil pumps. The T-3000 Plus also has the hot air Cornditioner system, providing large machine capabilities in a small machine footprint.



T-3000 Red Top

- 12 oz nickel plated all-steel kettle
- Up to 50% popcorn production increase over the 8 oz popper
- · Easily serves a crowd



T-3000 Plus Red Top

- 12 oz nickel plated all-steel kettle
- Direct oil feed
- Hot-air Cornditoner blower
- High production in limited space



T-3000 Antique

- 12 oz nickel plated all-steel kettle
- Available in T-3000 and T-3000 Plus Models



Profiteer Red Top

- 14 oz nickel plated all-steel kettle
- Stainless-steel welded construction
- Includes direct oil feed



- ••••••••••••••••
- 14 oz nickel plated all-steel kettle
- Stainless-steel welded construction
- Includes direct oil feed

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





SMALL POPPER FEATURES

- Interior heat lamp
- Illuminated eye-level rocker switches
- Cycling pilot light indicator (excluding Apprentice and Trilogy)
- Clean-in-place, swing down, nickel-plated all-steel kettle, or stainless-steel kettle
- Direct drive motor
- Removable one-piece kettle lid with magnetic catch and agitator for ease of use and cleaning
- Welded stainless-steel cabinet (excluding Nugget)
- Tempered safety glass front and sides

- Lift-off Vyvak doors for easy cleaning
- Thermostatically controlled heated corn deck for fresh, crisp popcorn
- · Lift-off, one-piece drop shelf for easy access to cabinet
- Stainless-steel popper case, deck and clean out drawer
- Heavy-duty kettle dump spring (on T-3000, T-3000 Plus and Profiteer)
- Included accessory kit contains measuring tools for salt, corn, oil and popcorn scoop

SMALL POPPER OPTIONS

Patented One-Pop/One-Pop with cycle counter

- This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- The counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production.

Stainless-steel kettle

- Stainless-steel durability is built directly into the kettle and will never rust.
- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.

Custom powder coating paint colors

Customize your machine for an additional charge to reflect a favorite collegiate or professional sports team, your corporate colors or to blend with any décor. We can match any PMS color to create a one-of-a-kind machine.

Stainless Steel Top
Integrated pump for the T-3000 Plus and Profiteer

Patented One-Pop Option

S

Salt/Sugar Switch Option





Patented One-Pop Counter Option



Stainless-steel Kettle



Colors shown are examples only. Contact Cretors for pricing and more information regarding custom-color machines.



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



OIL PUMPS, HEATERS AND WARMERS

The stainless-steel design of our oil pumps, heaters and warmers make them simple to use. Cretors offers three styles of oil pumps: The Bag-in-Box (BIB) Oil Pump, the Self Contained Automatic Bucket Pump and the Box Pump. Ideal for movie theaters, concession stands, restaurants, gourmet popcorn stores, and self-serve applications.



The Original Automatic Bag-in-Box (BIB) Oil Pump

Cretors first brought this innovation to concession stands based on a customer request for a pump that was easier to use and keep clean. The robust gear pump will ensure extended-term pump life.

- Heated shelf holds and warms two 35 lb boxes of popping oil
- Electronic timer provides accurate portion control when used in a popcorn machine.
- Heated oil tubes available for coconut oil
- Front or rear oil line (optional)
- · Remote control switch
- Cabinet heater blower
- for use with coconut oil (optional)



Heated Oil Pail Step

The Oil Pail Step makes it easy to slide a 50 lb pail of coconut oil into the base of your Cretors popcorn machine without spillage. Our step features a passive low-wattage heater to liquefy your reserve pail of coconut oil for an easy switch over to a fresh pail when needed.



Control Switch

Designed for machines that are oil ready but are not electrically wired for a pump.

 Combine with Bag-in-Box Oil Pump for Profiteer and T-3000 Plus



Bag-in-Box (BIB) Short Oil Pump

This single-shelf pump is perfect for situations when the double-shelf BIB Oil Pump is not practical due to space limitations.

 Heated shelf holds and warms one 35 lb box of popping oil



50 lb Bucket Pumps

- Self-Contained Bucket Pump for use with Profiteer and T-3000 Plus models
- Automatic Bucket Pump for use with all large poppers that are electrically wired for a pump
- Automatic portion control heats, measures and delivers oil to kettle.
- Rugged cast aluminum heating element
- Electronic 30-minute heat timer
- Use with 50 lb oil pail

Hot Rod



Hot Rod is the fastest, most economical way to melt solidified coconut oil in a pail. Rugged construction allows it to be forced into cold, hard oil. Insert the heating element directly into a pail of coconut oil, plug in and allow the heat to gently melt the oil for popper use.



Box Pump

A self-contained BIB oil pump with independent power cord provides compact oil delivery. This pump automatically delivers the proper amount of oil to the kettle with the push of a button. Magnets allow the pump to be placed anywhere in the machine. For liquid oils only.



Bag-in-Box (BIB) Backroom Warmer

Melting and maintaining popping oil at the proper temperature takes time. The BIB Backroom Warmer stores and liquefies four standard sized boxes on heated shelf decks, ensuring you have the popping oil you need when you need it.

- Holds and warms four 35 lb boxes
 of oil
- Heated shelf decks melt and maintain product for immediate use
- Can be used to heat other BIB items, such as cheese or topping
- Two-shelf warmer also available

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





POPPING SUPPLIES



Butterfly Popcorn

- 50 lb bag
- · Good for theaters
- PART #14228



Mushroom Popcorn

- 50 lb bag
- Good for caramel corn
- PART #14227



Portion Pack available in 6 oz, 8 oz, 12 oz

- 6 oz PK 36 PART #9820
- 8 oz PK 24 PART #9827
- 12 oz PK 28 PART #9830
- 50 lb Bulk Box PART #18778-BULK

Gourmet Salt

· Butter flavored

• PART #97940

• Part #9795

Maize Glaze

• 2 lb bag, 12 bags per case

Also available in 50 lb bulk box

Salt for Popcorn



Eco Bags

- 1½ oz PK 1000 PART #12964
- 2½ oz PK 500 PART #12967
- 4 oz PK 500 PART #12968
- 5 oz PK 500 PART #12969

Support Our Troops Bag

- 21/2 oz PK500
- PART #12967-USA





Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 WWW.cretors.com

SMALL POPPERS 5.16

ULISTED V CULIISTED CE





KNOCK DOWN • BLACK TWO-WHEEL • RED TWO-WHEEL • STANDARD FOUR-WHEEL RED ANTIQUE • STEERABLE FOUR-WHEEL ANTIQUE

WAGON BASES - SMALL POPPERS (POPPERS SOLD SEPARATELY)

Charmingly reminiscent of Cretors wagons and poppers from 100 years ago, you can combine one of our wagon bases with either the standard or antique small concession poppers. Not only do our bases increase versatility and mobility, when strategically placed, our poppers become easy to spot and work hard to increase sales. They're ideal for locations where the counter model popper is not practical or a small floor model or mobility is needed.



Knock Down Wagon (shown assembled)

- Made for 6 oz popper only
- Assembly requiredCan be

purchased

assembled



Black Two-Wheel Wagon

- Fits 6 oz Nite Club Popper
- Black powder coating is tough and resists scratching



Red Two-Wheel Wagon

- Sizes available to fit 6, 8, 12
- and 14 oz poppers
- Red powder coating resists scratching



Standard Four-Wheel Red Antique Wagon Base

- Fits counter model poppers 6-14 oz
- Red powder coating resists scratching



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





			ELECTRICAL				MACHI	NE DIMEN INCHES	ISIONS	Ship	DIMENS	IONS	ship Weight
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
Nugget	6 oz	120	120V/60HZ	1100	9	5-15	14.50	20.50	30.75	19.00	24.00	34.00	56
Apprentice	6 oz	120	120V/60HZ	1250	10.4	5-15	14.00	18.00	28.00	20.00	25.00	31.75	70
Goldrush Red Top	6 oz	120	120V/60HZ	1150	9.5	5-15	14.50	21.00	27.50	19.00	24.00	31.00	56
Goldrush Antique	6 oz	120	120V/60HZ	1150	9.5	5-15	14.00	21.00	33.75	19.00	24.00	36.00	56
Goldrush Antique on Wagon Base	6 oz	120	120V/60HZ	1150	9.5	5-15	20.75	41.25	65.00	23.75	44.25	68.00	135
Nite Club	6 oz	120	120V/60HZ	1150	9.5	5-15	14.50	21.00	27.50	19.00	24.00	31.00	56
Trilogy	8/12/16 oz	160-320	120V/60HZ	1440	12	5-15	21.00	24.00	34.50	26.00	29.00	40.00	94
T-2000 Red Top	8 oz	160	120V/60HZ	1325	11	5-15	21.00	21.00	30.50	26.00	26.00	33.00	82
T-2000 Antique	8 oz	160	120V/60HZ	1325	11	5-15	21.00	21.00	37.50	26.00	26.00	41.00	78
Antique T-2000 on Wagon Base	8 oz	160	120V/60HZ	1325	11	5-15	28.00	41.75	66.50	31.00	43.00	70.00	185
T-3000 Red Top	12 oz	240	120V/60HZ	1800	15	5-15 •	21.00	24.00	34.50	26.00	29.00	40.00	105
T-3000 Antique	12 oz	240	120V/60HZ	1800	15	5-15 •	22.25	25.00	41.00	26.00	29.00	44.00	108
T-3000 Antique on Wagon Base	12 oz	240	120V/60HZ	1800	15	5-15 •	28.00	44.00	70.00	31.00	43.00	75.00	218
T-3000 Plus Red Top	12 oz	240	120V/60HZ	2260	19	5-20	21.00	24.00	34.50	26.00	29.00	40.00	113
T-3000 Plus Antique	12 oz	240	120V/60HZ	2260	19	L5-30	22.25	25.00	41.00	26.00	29.00	44.00	108
T-3000 Plus Antique on Wagon Base	12 oz	240	120V/60HZ	2260	19	L5-30	28.00	44.00	70.00	31.00	43.00	75.00	218
Profiteer Red Top	14 oz	280	120V/60HZ	1800	15	5-15	22.00	28.50	34.50	28.00	34.00	39.00	126
Profiteer Antique	14 oz	280	120V/60HZ	1800	15	5-15	23.50	30.00	42.25	28.00	34.00	45.00	128
Profiteer Antique on Wagon Base	14 oz	280	120V/60HZ	1800	15	5-15	28.00	41.75	72.25	31.00	43.50	75.00	237

* 1 oz servings per hour

• For CSA/ULC, the T-3000 and Profiteer will require 5-20 NEMA Plug. The T-3000 Plus will require NEMA L5-30.

Base and unit ship separately unless specified.

Due to voltage variations, your Amp draw may vary. OHM's Law is Amps=Watts/Volts

Contact Cretors for machine agency approval listings.





OIL PUMPS, HEATERS	AND WAR	MERS	NORTH	I AMEF	RICA						
		ELECTRICAL			MACHIN	NE DIME Inches	NSIONS	SHIP	DIMENS	IONS	ship Weight
MACHINE	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
7700 Automatic Bucket Pump, remote control	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Pump, self contained (use with Profiteer)	120V/60HZ	700	5.8	5-15	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Salt/Sugar Pump	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
Hot Rod	120V/60HZ	400	3.3	5-15	2.50	23.50	2.25	4.00	24.00	2.50	4
Bag-in-Box Pump with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	37
Bag-in-Box Pump Heated with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	35
Bag-in-Box Pump Heated with front/rear discharge	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Salt/Sugar Pump with Side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Backroom Warmer Heated 4 shelf unit	120V/60HZ	180	1.5	5-15	17.00	16.00	49.50	20.00	20.00	51.00	74

WAGON BASES NORTH AMERICA

	MACHINE DIMENSI INCHES			S SHIP DIMENSIONS INCHES			ship Weight
MACHINE	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
Antique Red Goldrush 2-Wheel Wagon	20.75	40.50	31.25	23.00	43.00	34.00	62
Red Goldrush Two-Wheel Knock Down Wagon	20.75	41.25	31.25	21.25	21.25	14.00	47
Red Goldrush Two-Wheel Knock Down Wagon – UPS	20.75	41.25	31.25	19.00	24.00	32.00	54
Nite Club Black Two-Wheel Wagon	20.75	41.25	31.25	23.00	43.00	34.00	63
Nite Club Black Two-Wheel Knock Down Wagon	20.75	41.25	31.25	22.00	23.00	13.00	48
Nite Club Black Two-Wheel Knock Down Wagon – UPS	20.75	41.25	31.25	19.00	24.00	36.00	54
Antique Red T-2000 Two-Wheel Wagon	28.00	41.75	32.25	31.00	46.00	37.00	109
Antique Red T-3000 Two-Wheel Wagon	28.00	44.50	32.00	30.00	46.00	36.00	109
Antique Red Profiteer Two-Wheel Wagon	28.00	40.50	33.25	31.00	46.00	36.00	109
Antique Red Four-Wheel Wagon	29.75	59.00	33.25	33.00	62.00	39.00	174
Antique Red Steerable Four-Wheel Wagon	30.50	59.00	33.25	33.00	62.00	39.00	192

Contact Cretors for machine agency approval listings.





EXPORT – CE MARK AVAILABLE			ELECTRICAL				INE DIMEN			P DIMENS		Ship Weight
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
Nugget	6 oz	120	230V/50HZ	1100	4.8	36.83	52.07	78.11	48.26	60.96	86.36	25.20
Apprentice	6 oz	120	230V/50HZ	1250	5.4	35.56	45.72	71.12	50.80	63.50	80.65	31.50
Goldrush Red Top	6 oz	120	230V/50HZ	1150	5	36.83	53.34	69.85	48.26	60.96	78.74	25.20
Goldrush Antique	6 oz	120	230V/50HZ	1150	5	35.56	53.34	85.73	48.26	60.96	91.44	25.20
Goldrush Antique on Wagon Base	6 oz	120	230V/50HZ	1150	5	52.71	104.78	165.10	60.33	112.40	172.72	60.75
Nite Club	6 oz	120	230V/50HZ	1150	5	36.83	53.34	69.85	48.26	60.96	78.74	25.20
Trilogy	8/12/16 oz	160-320	230V/50HZ	1440	7.1	53.34	60.96	87.63	66.04	73.66	101.60	42.30
T-2000 Red Top	8 oz	160	230V/50HZ	1325	5.8	53.34	53.34	77.47	66.04	66.04	83.82	36.90
T-2000 Antique	8 oz	160	230V/50HZ	1325	5.8	53.34	53.34	95.25	66.04	66.04	104.14	35.10
T-2000 Antique on Wagon Base	8 oz	160	230V/50HZ	1325	5.8	71.12	106.05	168.91	78.74	109.22	177.80	83.25
T-3000 Red Top	12 oz	240	230V/50HZ	1800	7.8	53.34	60.96	87.63	66.04	73.66	101.60	47.25
T-3000 Antique	12 oz	240	230V/50HZ	1800	7.8	56.52	63.50	104.14	66.04	73.66	111.76	48.60
T-3000 Antique on Wagon Base	12 oz	240	230V/50HZ	1800	7.8	71.12	111.76	177.80	78.74	109.22	190.50	98.10
T-3000 Plus Red Top	12 oz	240	230V/50HZ	2260	9.8	53.34	60.96	87.63	66.04	73.66	101.60	50.85
Antique T-3000 Plus Red Top	12 oz	240	230V/50HZ	2260	9.8	56.52	63.50	104.14	66.04	73.66	111.76	48.60
T-3000 Antique Plus on Wagon Base	12 oz	240	230V/50HZ	2260	9.8	71.12	111.76	177.80	78.74	109.22	190.50	98.10
Profiteer Red Top	14 oz	280	230V/50HZ	1800	8	55.88	72.39	87.63	71.12	86.36	99.06	56.70
Profiteer Antique	14 oz	280	230V/50HZ	1800	8	59.69	76.20	107.32	71.12	86.36	114.30	57.60
Profiteer Antique on Wagon Base	14 oz	280	230V/50HZ	1800	8	71.12	106.05	183.52	78.74	110.50	190.50	106.65

* 1 oz servings per hour

Export machines are provided with Euro plugs as standard. Optional plugs may be requested. Base and unit ship separately unless specified.

Due to voltage variations, your Amp draw may vary. OHM's Law is Amps=Watts/Volts

Contact Cretors for machine agency approval listings.





OIL PUMPS, HEATERS	AND WAP	MERS	EXPORT	– CE	MARK	AVAIL	ABLE				
		ELECTRICAL				NE DIME			DIMENS		ship Weight
MACHINE	VOLTAGE	WATTS	AMPS		LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
7700 Automatic Bucket Pump, remote control	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Pump, self contained (use with Profiteer)	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Salt/Sugar Pump	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
Hot Rod	230V/50HZ	400	1.7		6.35	59.69	5.72	10.16	60.96	6.35	1.80
Bag-in-Box Pump with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	16.65
Bag-in-Box Pump Heated with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	15.75
Bag-in-Box Pump Heated with front/rear discharge	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Salt/Sugar Pump with Side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Backroom Warmer Heated 4 shelf unit	230V/50HZ	180	8		43.18	40.64	125.73	50.80	50.80	129.54	33.30

WAGON BASES EXPORT - CE MARK AVAILABLE

	MACHINE DIMENSION CENTIMETERS				IONS Is	ship Weight	
MACHINE	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
Antique Red Goldrush 2-Wheel Wagon	52.71	102.87	79.38	58.42	109.22	86.36	27.90
Red Goldrush Two-Wheel Knock Down Wagon	52.71	104.78	79.38	53.98	53.98	35.56	21.15
Red Goldrush Two-Wheel Knock Down Wagon – UPS	52.71	104.78	79.38	48.26	60.96	81.28	24.30
Nite Club Black Two-Wheel Wagon	52.71	104.78	79.38	58.42	109.22	86.36	28.35
Nite Club Black Two-Wheel Knock Down Wagon	52.71	104.78	79.38	55.88	58.42	33.02	21.60
Nite Club Black Two-Wheel Knock Down Wagon - UPS	52.71	104.78	79.38	48.26	60.96	91.44	24.30
Antique Red T-2000 Two-Wheel Wagon	71.12	106.05	81.92	78.74	116.84	93.98	49.05
Antique Red T-3000 Two-Wheel Wagon	71.12	113.03	81.28	76.20	116.84	91.44	49.05
Antique Red Profiteer Two-Wheel Wagon	71.12	102.87	84.46	78.74	116.84	91.44	49.05
Antique Red Four-Wheel Wagon	75.57	149.86	84.46	83.82	157.48	99.06	78.30
Antique Red Steerable Four-Wheel Wagon	77.47	149.86	84.46	83.82	157.48	99.06	86.40

Contact Cretors for machine agency approval listings.





MERCHANT

MID-SIZE POPPER – SUSPENDED KETTLE

Designed with key features found in our larger poppers, the Merchant delivers increased popcorn production with a high performance, 16 oz nickel-plated, all-steel kettle equipped with Cretors' convenient kettle dump and return system. A favorite among mid-sized concession operators, this machine's compact footprint satisfies the need for increased production while taking up minimal concession space.



Merchant

- Automatic cover lift
- Welded stainless-steel frame and cabinet
- LED sign available on customer side only



Merchant and optional base

- Welded stainless-steel frame and base
- Rolling casters for mobility
- Automatic cover lift
- LED popcorn sign available
- (customer side only)
- 35 lb tilt out corn bin



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.




MERCHANT / ECONO-MERCHANT 5.16

ECONO-MERCHANT

MID-SIZE POPPER – SUSPENDED KETTLE

The Econo-Merchant is our economy version of the Merchant. It comes equipped with many deluxe features including the convenient kettle dump and return system and Cretors exclusive Cornditioner system, which keeps popcorn dry, crisp and ready to enjoy. Customize both machines with options that will ensure safety and allow both salted and sugar corn to be popped.





Econo-Merchant and optional base

- Welded stainless-steel base and frame
- 35 lb tilt-out corn bin
- Manual cover lift

Econo-Merchant

A simplified, economic popper with the world-class Cretors kettle that remains the heart of the machine.

- · Welded stainless-steel frame and cabinet
- · Manual cover lift





KEY FEATURES

- · Clean-in-place, nickel plated, all-steel kettle
- One-piece lid ensures maximum corn expansion
- Direct drive agitator motor provides longer motor life
- Cycling pilot light indicator
- Illuminated eye-level rocker switches
- Dual-stage disposable filter system on Merchant
- Single-stage washable filter system on Econo-Merchant
- Clean out drawer

- Internal heat lamps and heated corn deck
- 35 lb tilt-out corn bin
- Equipped for direct oil feed, use with automatic oil pump
- Exclusive counter-balance kettle dump and return system (excluding Econo-Merchant)
- Circulating hot air Cornditioner system to keep popcorn warm, dry and crisp
- LED lighted sign on Merchant only
- · Automatic jump up kettle lid on Merchant only

OPTIONS


- Stainless-steel kettle
- Salt/sugar switch
- Patented One-Pop control
- Patented One-Pop control with cycle counter



Stainless-steel kettle

 Stainless-steel durability is built directly into the kettle and will never rust.

- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.



Patented One-Pop control/One-Pop control with cycle counter

- This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- Counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production. Amount of oil dispensed is also automatically adjusted.



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

MERCHANT / ECONO-MERCHANT 5.16

OIL PUMPS, HEATERS AND WARMERS

The stainless-steel design of our oil pumps, heaters and warmers make them simple to use. Cretors offers three styles of oil pumps: The Bag-in-Box (BIB) Oil Pump, the Self Contained Automatic Bucket Pump and the Box Pump. Ideal for movie theaters, concession stands, restaurants, gourmet popcorn stores, and self-serve applications.



The Original Automatic Bag-in-Box (BIB) Oil Pump

Cretors first brought this innovation to concession stands based on a customer request for a pump that was easier to use and keep clean. The robust gear pump will ensure extended-term pump life.

- Heated shelf holds and warms two 35 lb boxes of popping oil
- Electronic timer provides accurate portion control when used in a popcorn machine.
- Heated oil tubes available for coconut oil
- Front or rear oil line (optional)
- Remote control switch
- Cabinet heater blower
- for use with coconut oil (optional)



Bag-in-Box (BIB) Short Oil Pump

This single-shelf pump is perfect for situations when the double-shelf BIB Oil Pump is not practical due to space limitations.

• Heated shelf holds and warms one 35 lb box of popping oil

Self-Contained Bucket Pump for use

· Automatic Bucket Pump for use with

all large poppers that are electrically

Automatic portion control heats, measures

Rugged cast aluminum heating element Electronic 30-minute heat timer

with Profiteer and T-3000 Plus models

50 lb Bucket Pumps

wired for a pump

• Use with 50 lb oil pail

Hot Rod

and delivers oil to kettle.



Box Pump

A self-contained BIB oil pump with independent power cord provides compact oil delivery. This pump automatically delivers the proper amount of oil to the kettle with the push of a button. Magnets allow the pump to be placed anywhere in the machine. For liquid oils only.



Bag-in-Box (BIB) Backroom Warmer

Melting and maintaining popping oil at the proper temperature takes time. The BIB Backroom Warmer stores and liquefies four standard sized boxes on heated shelf decks, ensuring you have the popping oil you need when you need it.

- Holds and warms four 35 lb boxes of oil
- Heated shelf decks melt and maintain product for immediate use
- Can be used to heat other BIB items, such as cheese or topping
- Two-shelf warmer also available

Contact your Cretors representative for a complete list of agency approvals for each machine.



Heated Oil Pail Step

The Oil Pail Step makes it easy to slide a 50 lb

pail of coconut oil into the base of your Cretors

features a passive low-wattage heater to liquefy

popcorn machine without spillage. Our step

your reserve pail of coconut oil for an easy

switch over to a fresh pail when needed.

C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

Images may not reflect current equipment modifications, features and accessories



Hot Rod is the fastest, most economical way to melt solidified coconut oil in a pail. Rugged construction allows it to be forced into cold, hard oil. Insert the heating element directly into a pail of coconut oil, plug in and allow the heat to gently melt the oil for popper use.

POPPING SUPPLIES



Butterfly Popcorn

- 50 lb bag
- · Good for theaters
- PART #14228



Mushroom Popcorn

- 50 lb bag
- · Good for caramel corn
- PART #14227



Portion Pack available in 6 oz, 8 oz, 12 oz

- 6 oz PK 36 PART #9820
- 8 oz PK 24 PART #9827
- 12 oz PK 28 PART #9830
- 50 lb Bulk Box • PART #18778-BULK

Maize Glaze

Gourmet Salt

· Butter flavored

• PART #97940

• Part #9795

• 2 lb bag, 12 bags per case

Also available in 50 lb bulk box

Salt for Popcorn



Eco Bags


- • 11/2 oz PK 1000 PART #12964
- 21/2 oz PK 500 PART #12967
- 4 oz PK 500 PART #12968
- 5 oz PK 500 PART #12969

Support Our Troops Bag

- 21/2 oz PK500
- PART #12967-USA









C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 Fax 847. 616-6970 www.cretors.com

MERCHANT / ECONO-MERCHANT 5.16



Cretors

MERCHANT AND **ECONO-MERCHANT - SUSPENDED KETTLE** NORTH AMERICA

			20 120V/60HZ 3150 26.3 20 120V/60HZ 3150 26.3				MACHI	NE DIMEN INCHES	ISIONS	SHIP	IONS	ship Weight	
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
Econo-Merchant Counter	16 oz	320	120V/60HZ	3150	26.3	L5-30	22.25	28.25	37.00	28.00	33.00	43.00	130
Econo-Merchant on Base	16 oz	320	120V/60HZ	3150	26.3	L5-30	22.25	28.25	68.00	28.00	33.00	74.00	400
Merchant Counter with Sign	16 oz	320	120V/60HZ	3300	27.5	L5-30	22.25	28.75	40.00	28.00	33.00	43.00	152
Merchant on Base	16 oz	320	120V/60HZ	3300	27.5	L5-30	22.25	28.75	71.00	28.00	33.00	77.00	400

* 1 oz servings per hour

· Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

Add 750 watts for 32 oz stainless steel kettles.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.

OIL PUMPS, HEATERS AND WARMERS NORTH AMERICA

	ELECTNICAL					NE DIME Inches	NSIONS	SHIP	IONS	ship Weight	
MACHINE	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
7700 Automatic Bucket Pump, remote control	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Pump, self contained (use with Profiteer)	120V/60HZ	700	5.8	5-15	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Salt/Sugar Pump	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
Hot Rod	120V/60HZ	400	3.3	5-15	2.50	23.50	2.25	4.00	24.00	2.50	4
Bag-in-Box Pump with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	37
Bag-in-Box Pump Heated with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	35
Bag-in-Box Pump Heated with front/rear discharge	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Salt/Sugar Pump with Side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Backroom Warmer Heated 4 shelf unit	120V/60HZ	180	1.5	5-15	17.00	16.00	49.50	20.00	20.00	51.00	74

Contact Cretors for machine agency approval listings.





MERCHANT AND ECONO-MERCHANT - SUSPENDED KETTLE EXPORT - CE MARK AVAILABLE

			ELECTRICAL	-			NE DIMEI		SHIP C		ship Weight	
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
Econo-Merchant Counter	16 oz	320	230V/50HZ	3150	26.3	56.52	71.76	93.98	71.12	83.82	109.22	58.50
Econo-Merchant on Base	16 oz	320	230V/50HZ	3150	26.3	56.52	71.55	172.72	71.12	83.82	187.96	180.00
Merchant Counter with Sign	16 oz	320	230V/50HZ	3300	27.5	56.52	73.03	101.60	71.12	83.82	109.22	68.40
Merchant on Base	16 oz	320	230V/50HZ	3300	27.5	56.52	73.03	180.34	71.12	83.82	195.58	180.00

* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

Add 750 watts for 32 oz stainless steel kettles.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.

OIL PUMPS, HEATERS AND WARMERS EXPORT - CE MARK AVAILABLE

	l	electrical			NE DIME	NSIONS RS		IONS IS	ship Weight	
MACHINE	VOLTAGE	WATTS	AMPS	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
7700 Automatic Bucket Pump, remote control	230V/50HZ	700	3	55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Pump, self contained (use with Profiteer)	230V/50HZ	700	3	55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Salt/Sugar Pump	230V/50HZ	700	3	55.88	33.02	33.02	63.50	38.10	38.10	9.00
Hot Rod	230V/50HZ	400	1.7	6.35	59.69	5.72	10.16	60.96	6.35	1.80
Bag-in-Box Pump with side oil line	230V/50HZ	250	1.1	45.72	34.93	41.91	55.88	43.82	50.80	16.65
Bag-in-Box Pump Heated with side oil line	230V/50HZ	250	1.1	45.72	34.93	41.91	55.88	43.82	50.80	15.75
Bag-in-Box Pump Heated with front/rear discharge	230V/50HZ	250	1.1	45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Salt/Sugar Pump with Side oil line	230V/50HZ	250	1.1	45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Backroom Warmer Heated 4 shelf unit	230V/50HZ	180	8	43.18	40.64	125.73	50.80	50.80	129.54	33.30

Contact Cretors for machine agency approval listings.





MACH 5

LARGE POPPER – SUSPENDED KETTLE

With more than 12 decades of concession experience, Cretors large concession poppers have evolved to become the top performers in the industry. Form, function and durability are constantly integrated into each new machine design and upgrade. Whether your popping style includes a suspended or a pedestal kettle design, Cretors has the design that best works for you.





Mach 5 Floor Model (3 ft)

- Shown with LED programmable sign
- Front view

Mach 5 with Lighted Retro Plastic Top

• Available on 3 ft only





The Mach 5 popper is a truly versatile machine. Beautifully styled and built to last for generations, this popper draws on the Cretors long tradition of popping technology combined with exciting, innovative features. Cretors exclusive one-piece, automatic lid design, along with the resealable corn bin will ensure maximum corn expansion. The optional programmable LED sign, which can be customized, will promote additional sales. As your business grows, the oversized cabinet allows you to upgrade to a larger kettle. The large 16" diameter kettle allows for maximum expansion for today's high expansion corn hybrids. Need more volume? Turn your 32 oz kettle into a 48 oz or 60 oz by simply changing the heat elements. The current MACH 5 is the fifth generation of our popular popper, coupling Cretors expertise and all the benefits of modern manufacturing.







KEY FEATURES

- Available in 3 and 4 ft cabinets
- Available with 32, 48 and 60 oz kettles
- Welded stainless-steel cabinet
- Welded stainless-steel base with air-tight, tilt-out resealable corn bin keeps corn fresh for maximum corn expansion
- One-piece kettle
- LED lighting system
- Two heat lamps
- Digital temperature controller
- Lift off Vyvak doors for easy cleaning

STANDARD FEATURES

- Clean-in-place nickel plated all-steel kettle
- One-piece lid ensures maximum popcorn expansion
- Direct-drive agitator motor provides longer motor life
- Cycling pilot light indicator
- Illuminated eye-level rocker switches
- Disposable filter system
- Clean-out drawer
- Exhaust and Cornditioner system
- Internal heat lamp(s) and heated corn deck
- Equipped for direct-oil feed
- Automatic jump-up kettle lid
- LED popcorn sign
- Available as counter or floor model

OPTIONS

- Backlit red and yellow LED popcorn sign
- Neon sign
- LED programmable sign
- ANSUL fire suppression system
- Pass through side glass (left or right)
- Bin elevator
- Patented Pop It N' Top It system
- Bag filler
- Corn guard chute
- Ventless recirculating hood system
- Pass through dual control system
- Two side raw corn drawer
- Patented One-Pop
- Patented One-Pop with cycle counter

Patented One-Pop control/One-Pop control with cycle counter

- This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- Counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production. Amount of oil dispensed is also automatically adjusted.

Bin Elevator

Increase storage capacity without increasing space requirements with our exclusive bin elevator. With a simple turn of a crank, a portion of the popper case bottom is lowered to warm and hold more popcorn during peak selling times. When extra space is not needed, simply crank the popper case bottom back up to its original position. The bin holds three 32 oz batches, equivalent to 39 (85 oz size) tubs. The cabinet plus the bin holds a total of six 32 oz batches. Patented Popit N' Topit

Our exclusive Popit N' Topit butter topper is operated using a handsfree push bar to deliver popcorn topping. Simply fill the bucket with fresh popcorn, press the hands-free push bar to deliver the topping and continue to fill the bucket to desired capacity. Top off the popcorn with another push of the bar, and you are done in one easy step. Reduce transaction time, prevent spills and drips, and maximize counter space.

Stainless-steel kettle

- Stainless-steel durability is built directly into the kettle and will never rust.
- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.

Ventless Hood

We have partnered with Giles Foodservice Equipment, the premier manufacturer of the Ventless Recirculating Hood system, to create a popcorn machine that does not require expensive hood exhausting ducting. The three stage filter system includes a baffle grease filter, electrostatic air cleaner, and Polysorb[®] filter. The Ventless Hood limits the emission of grease-laden air to the room in accordance with NFPA 96.

Merchandising Signs

- Sign options available for the Diplomat, Mach 5 and President Poppers
- Choose from several sign options to maximize your message in the concession area: neon, red only, red and white and blinking red and white.





- Salt/sugar switch
 Integrated pump
 - Stainless-steel corn bin
 - Stanness-steer corrigin
 - 30 Amp power cord option for 32 oz 30 Amp machine only

Patented One-Pop Control



Salt/sugar Switch



Popit N' Topit





Bin Elevator (up)



Bin Elevator (down)



Stainless-steel Kettle



Ventless Hood System



Neon Sign

Backlit LED Sign

Programmable LED Sign

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





VENTLESS AND ANSUL SAFETY

We understand how crucial it is to protect people and property from fire. Cretors was the first to pioneer this fire suppression system in the early 1990s with a UL[®] approved ANSUL[®] Fire Suppression System that provides frontline fire protection by automically detecting and suppressing fires. Insurance companies and fire inspectors recognize ANSUL to be the most effective system used to fight dangerous fires in the restaurant and food service industries. It is the leading brand in commercial kitchen fire suppression. Local fire departments normally do not require fire suppression or exterior exhaust systems for UL listed machines meeting the KNLZ and KNKG standard. Contact Cretors for more information about this important option.

ANSUL

- · Detectors located inside the cabinet quickly detect fire.
- Fire suppressant is discharged from multiple locations inside the cabinet to ensure rapid flame knockdown.
- · Power source is automatically shut off.
- UL listed machine meets KNLZ and KNKG standard.
- Available for 3, 4, 5 and 6 ft Twin cabinets
- ANSUL activation not included

Ventless Hood by Giles® Food Service Equipment

Cretors partnered with Giles Foodservice Equipment, the premier manufacturer of the Ventless Recirculating Hood System, to create a popcorn machine that does not require expensive hood exhausting ducting. Three stage filter system includes a baffle grease filter, electrostatic filter, and Polysorb[®] filter. The ventless hood limits the emission of grease-laden air to the room in accordance with NFPA 96.

- The Cretors popper with Ventless Hood is available with the ANSUL Fire Suppression System and is the first popper in the industry that has passed the KNKG UL test, making it one of the safest and most reliable machines.
- The innovative hood design incorporates Ventless Recirculating technology that expands your food service capabilities in areas with limited space.
- The Giles Foodservice Equipment Air Filtration System provides one of the most efficient air filtration systems in the industry.
- Using UL's EPA-202 test method, this machine limits the emission of grease-laden air to the room in accordance with NFPA 96.
- The Ventless Recirculating Hood System is designed to fit directly on top of the 3, 4, 5 and 6 ft Diplomat and Mach 5 popping cabinets. No minimum cabinet width is required.
- Available with 32, 48 and 60 oz kettles.
- Both ANSUL and Ventless Hood options can be manufactured separately or together for the Mach 5 and Diplomat machines.







VENTLESS AND ANSUL SAFETY



ANSUL canister inside base cabinet




Close-up of Ventless Feature



Ventless Filters

- Baffle grease filter
- Electrostatic filter
- Polysorb filter







OIL PUMPS, HEATERS AND WARMERS

The stainless-steel design of our oil pumps, heaters and warmers make them simple to use. Cretors offers three styles of oil pumps: The Bag-in-Box (BIB) Oil Pump, the Self Contained Automatic Bucket Pump and the Box Pump. Ideal for movie theaters, concession stands, restaurants, gourmet popcorn stores, and self-serve applications.



The Original Automatic Bag-in-Box (BIB) Oil Pump

Cretors first brought this innovation to concession stands based on a customer request for a pump that was easier to use and keep clean. The robust gear pump will ensure extended-term pump life.

- Heated shelf holds and warms two 35 lb boxes of popping oil
- Electronic timer provides accurate portion
- · Heated oil tubes available for coconut oil
- Front or rear oil line (optional)
- Remote control switch
- · Cabinet heater blower
- for use with coconut oil (optional)



Bag-in-Box (BIB) Short Oil Pump

This single-shelf pump is perfect for situations when the double-shelf BIB Oil Pump is not practical due to space limitations.

· Heated shelf holds and warms one 35 lb box of popping oil



A self-contained BIB oil pump with independent power cord provides compact oil delivery. This pump automatically delivers the proper amount of oil to the kettle with the push of a button. Magnets allow the pump to be placed anywhere in the machine. For liquid oils only.



Bag-in-Box (BIB) Backroom Warmer

Melting and maintaining popping oil at the proper temperature takes time. The BIB Backroom Warmer stores and liquefies four standard sized boxes on heated shelf decks, ensuring you have the popping oil you need when you need it.

- Holds and warms four 35 lb boxes of oil
- · Heated shelf decks melt and maintain product for immediate use
- · Can be used to heat other BIB items, such as cheese or topping
- Two-shelf warmer also available

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





Heated Oil Pail Step

The Oil Pail Step makes it easy to slide a 50 lb

pail of coconut oil into the base of your Cretors

features a passive low-wattage heater to liquefy

popcorn machine without spillage. Our step

your reserve pail of coconut oil for an easy

switch over to a fresh pail when needed.

C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com



Hot Rod is the fastest, most economical way to melt solidified coconut oil in a pail. Rugged construction allows it to be forced into cold. hard oil. Insert the heating element directly into a pail of coconut oil, plug in and allow the heat to gently melt the oil for popper use.

50 lb Bucket Pumps Self-Contained Bucket Pump for use

- with Profiteer and T-3000 Plus models
- · Automatic Bucket Pump for use with all large poppers that are electrically wired for a pump
- Automatic portion control heats, measures and delivers oil to kettle.
- Rugged cast aluminum heating element
- Electronic 30-minute heat timer
- Use with 50 lb oil pail

- control when used in a popcorn machine.

POPPING SUPPLIES



Butterfly Popcorn

- 50 lb bag
- · Good for theaters
- PART #14228



Mushroom Popcorn

- 50 lb bag
- Good for caramel corn
- PART #14227



Portion Pack available in 6 oz, 8 oz, 12 oz

- 6 oz PK 36 PART #9820
- 8 oz PK 24 PART #9827
- 12 oz PK 28 PART #9830
- 50 lb Bulk Box PART #18778-BULK

Gourmet Salt

· Butter flavored

• PART #97940

• Part #9795

Maize Glaze

• 2 lb bag, 12 bags per case

Also available in 50 lb bulk box

Salt for Popcorn



Eco Bags

- 1½ oz PK 1000 PART #12964
- 2½ oz PK 500 PART #12967
- 4 oz PK 500 PART #12968
- 5 oz PK 500 PART #12969

Support Our Troops Bag

- 21/2 oz PK500
- PART #12967-USA





Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 WWW.cretors.com

ULISTED VC CULIISTED CE



Cretors

			ELECTRICAL				MACHI	NE DIMEI INCHES	NSIONS	SHIP	DIMENS	IONS	Ship Weight
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
Mach 5 3' Counter	32 oz	640	120/208V- 120/240V/60HZ	6185	-	14-50	28.00	36.00	53.50	33.00	41.00	69.50	323
Mach 5 3' Floor	32 oz	640	120/208V- 120/240V/60HZ	6185	-	14-50	28.00	36.00	77.50	43.00	43.00	83.00	445
Mach 5 3' Floor Ventless	32 oz	640	120/208V- 120/240V/60HZ	6618	-	14-50	28.00	36.00	83.00	43.00	43.00	89.00	445
Mach 5 3' Floor ANSUL	32 oz	640	120/208V- 120/240V/60HZ	6185	-	14-50	28.00	36.00	77.50	43.00	43.00	83.00	445
Mach 5 4' Floor	32 oz	640	120/208V- 120/240V/60HZ	6185	-	14-50	28.00	49.00	75.00	37.00	56.00	82.00	500
Mach 5 5' Floor	32 oz	640	120/208V- 120/240V/60HZ	6185	-	14-50	32.50	60.00	74.50	37.00	67.00	82.00	590
Mach 5 3' Counter	48 oz	960	120/208V- 120/240V/60HZ	7735	-	14-50	28.00	36.00	53.50	33.00	41.00	69.50	326
Mach 5 3' Floor	48 oz	960	120/208V- 120/240V/60HZ	7735	-	14-50	28.00	36.00	77.50	43.00	43.00	83.00	445
Mach 5 3' Floor Ventless	48 oz	960	120/208V- 120/240V/60HZ	8168	-	14-50	28.00	36.00	83.00	43.00	43.00	89.00	445
Mach 5 3' Floor ANSUL	48 oz	960	120/208V- 120/240V/60HZ	7735	-	14-50	28.00	36.00	77.50	43.00	43.00	83.00	445
Mach 5 4' Floor	48 oz	960	120/208V- 120/240V/60HZ	7735	-	14-50	28.00	49.00	75.00	37.00	56.00	82.00	505
Mach 5 5' Floor	48 oz	960	120/208V- 120/240V/60HZ	7735	-	14-50	32.50	60.00	74.50	37.00	67.00	82.00	598
Mach 5 3' Counter	60 oz	1200	120/208V- 120/240V/60HZ	7735	-	14-50	28.00	36.00	53.50	33.00	41.00	69.50	326
Mach 5 3' Floor	60 oz	1200	120/208V- 120/240V/60HZ	7735	-	14-50	28.00	36.00	77.50	43.00	43.00	83.00	445
Mach 5 3' Floor Ventless	60 oz	1200	120/208V- 120/240V/60HZ	8168	-	14-50	28.00	36.00	83.00	43.00	43.00	89.00	445
Mach 5 3' Floor ANSUL	60 oz	1200	120/208V- 120/240V/60HZ	7735	-	14-50	28.00	36.00	77.50	43.00	43.00	83.00	445
Mach 5 4' Floor	60 oz	1200	120/208V- 120/240V/60HZ	7735	-	14-50	28.00	49.00	75.00	37.00	56.00	82.00	508
Mach 5 5' Floor	60 oz	1200	120/208V- 120/240V/60HZ	7735	-	14-50	32.50	60.00	74.50	37.00	67.00	82.00	598

* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers.

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

Add 750 watts for 32 oz stainless steel kettles.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.





OIL PUMPS, HEATERS	AND WAR	MERS	NORTH	I AMEF	RICA						
		ELECTRICAL			MACHII	NE DIME INCHES	nsions	Ship	DIMENS	IONS	ship Weight
MACHINE	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
7700 Automatic Bucket Pump, remote control	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Pump, self contained (use with Profiteer)	120V/60HZ	700	5.8	5-15	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Salt/Sugar Pump	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
Hot Rod	120V/60HZ	400	3.3	5-15	2.50	23.50	2.25	4.00	24.00	2.50	4
Bag-in-Box Pump with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	37
Bag-in-Box Pump Heated with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	35
Bag-in-Box Pump Heated with front/rear discharge	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Salt/Sugar Pump with Side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Backroom Warmer Heated 4 shelf unit	120V/60HZ	180	1.5	5-15	17.00	16.00	49.50	20.00	20.00	51.00	74

Contact Cretors for machine agency approval listings.





MACH 5 EXPORT – CE MARK AVAILABLE												
		ELECTRICAL				MACHINE DIMENSIONS CENTIMETERS			SHIP DIMENSIONS CENTIMETERS			Ship Weight
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
Mach 5 3' Counter	32 oz	640	230/380V/50HZ	6185	-	71.12	91.44	135.89	83.82	104.14	176.53	145.35
Mach 5 3' Floor	32 oz	640	230/380V/50HZ	6185	-	71.12	91.44	196.85	109.22	109.22	210.82	200.25
Mach 5 3' Floor Ventless	32 oz	640	230/380V/50HZ	6618	-	71.12	91.44	210.82	109.22	109.22	226.06	200.25
Mach 5 3' Floor ANSUL	32 oz	640	230/380V/50HZ	6185	-	71.12	91.44	196.85	109.22	109.22	210.82	200.25
Mach 5 4' Floor	32 oz	640	230/380V/50HZ	6185	-	71.12	124.46	190.50	93.98	142.24	208.28	225.00
Mach 5 5' Floor	32 oz	640	230/380V/50HZ	6185	-	82.55	152.40	189.23	93.98	170.18	208.28	265.50
Mach 5 3' Counter	48 oz	960	230/380V/50HZ	7735	-	71.12	91.44	135.89	83.82	104.14	176.53	146.70
Mach 5 3' Floor	48 oz	960	230/380V/50HZ	7735	-	71.12	91.44	196.85	109.22	109.22	210.82	200.25
Mach 5 3' Floor Ventless	48 oz	960	230/380V/50HZ	8168	-	71.12	91.44	210.82	109.22	109.22	226.06	200.25
Mach 5 3' Floor ANSUL	48 oz	960	230/380V/50HZ	7735	-	71.12	91.44	196.85	109.22	109.22	210.82	200.25
Mach 5 4' Floor	48 oz	960	230/380V/50HZ	7735	-	71.12	124.46	190.50	93.98	142.24	208.28	227.25
Mach 5 5' Floor	48 oz	960	230/380V/50HZ	7735	-	82.55	152.40	189.23	93.98	170.18	208.28	269.10
Mach 5 3' Counter	60 oz	1200	230/380V/50HZ	7735	-	71.12	91.44	135.89	83.82	104.14	176.53	146.70
Mach 5 3' Floor	60 oz	1200	230/380V/50HZ	7735	-	71.12	91.44	196.85	109.22	109.22	210.82	200.25
Mach 5 3' Floor Ventless	60 oz	1200	230/380V/50HZ	8168	-	71.12	91.44	210.82	109.22	109.22	226.06	200.25
Mach 5 3' Floor ANSUL	60 oz	1200	230/380V/50HZ	7735	-	71.12	91.44	196.85	109.22	109.22	210.82	200.25
Mach 5 4' Floor	60 oz	1200	230/380V/50HZ	7735	-	71.12	124.46	190.50	93.98	142.24	208.28	228.60
Mach 5 5' Floor	60 oz	1200	230/380V/50HZ	7735	-	82.55	152.40	189.23	93.98	170.18	208.28	269.10

* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

Add 750 watts for 32 oz stainless steel kettles.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.





OIL PUMPS, HEATERS AND WARMERS EXPORT – CE MARK AVAILABLE											
	ELECTRICAL				MACHINE DIMENSIONS CENTIMETERS			SHIP DIMENSIONS CENTIMETERS			Ship Weight
MACHINE	VOLTAGE	WATTS	AMPS		LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
7700 Automatic Bucket Pump, remote control	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Pump, self contained (use with Profiteer)	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Salt/Sugar Pump	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
Hot Rod	230V/50HZ	400	1.7		6.35	59.69	5.72	10.16	60.96	6.35	1.80
Bag-in-Box Pump with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	16.65
Bag-in-Box Pump Heated with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	15.75
Bag-in-Box Pump Heated with front/rear discharge	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Salt/Sugar Pump with Side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Backroom Warmer Heated 4 shelf unit	230V/50HZ	180	8		43.18	40.64	125.73	50.80	50.80	129.54	33.30

Contact Cretors for machine agency approval listings.





DIPLOMAT

LARGE POPPER – SUSPENDED KETTLE

With more than 40 years of field experience, the Diplomat with Cretors kettles has developed a reputation for making the best tasting popcorn. All Diplomats feature a nickel plated all-steel kettle, tempered safety glass, Vyvak® doors, cycling pilot light, digital temperature controls, stainless-steel interior and a drop shelf. The popcorn is kept fresh and crisp by Cretors high-powered Cornditioner system, which maintains the popcorn at just the right temperature for serving up big profits.





3 ft Diplomat and Optional Base

- Available as counter model or floor model
- Extruded aluminum cabinet
- Stainless-steel base
- Shown with backlit LED sign

6 ft Twin Diplomat Pass Through Dual Operator

 Shown with optional dual control to allow operators from both sides

> Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





Cabinet sizes available are 3, 4, 5, and 6 ft. Within that cabinet, any kettle size can be installed: 20, 32, 48, 60 oz or twin kettles, depending on your production volume needs. For a completely different take, install a CMD 25 Caramelizer in a 6 ft twin cabinet with a single kettle to create an enclosed carmel corn production plant.

The Self Service Diplomat is designed with profits in mind. It transfers labor from your employees to your customers while maximizing impulse sales and savings. This popper is designed with two customer-controlled augers that dispense popcorn and an integrated butter topper that dispenses topping on the spot. The self-serve feature is excellent for sanitation as it prevents people from putting their hands in the popcorn while serving themselves.



Mobile Roc N' Roll Cornditioner

The Patented Roc N' Roll bin is designed to dock directly into the Diplomat Pop N' Roll Popper. As corn pops, it falls directly into the bin. When full, the Roc N' Roll Cornditioner easily unplugs from the popper and is then wheeled and plugged directly into the concession stand, or anywhere there is a standard outlet, for continuous warming with the docking station. Bags or boxes are not needed to transport popcorn from the machine to the merchandising point. Popcorn breakage is greatly reduced and popcorn is continually kept fresh until ready for serving. It's ideal for remote merchandising.

- · Halogen lights
- Angled cabinet design on operator side makes serving product easy
- · Sliding protective lid provides easy access
- Ideal for remote merchandising
- · Can be used independently of popper

6 ft Twin Diplomat Pop N' Roll

Cretors patented design combines a popcorn machine that pops and dumps corn directly into a mobile warming bin. The Cornditioner bin unplugs from the popper site and is then rolled and docked into the serving site for continuous warming. Purchase additional bins for several serving locations.

- · Shown with optional Roc N' Roll Cornditioner
- Removable stainless-steel bin holds 15 lb of popped corn 20, 32, 48 and 60 oz kettles available
- Only available in twin design



Self Serve Diplomat

- Built-in topper
- 20 or 32 oz kettles
- · Serves two customers at once



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



KEY FEATURES

- Available in 3, 4, 5 and 6 ft cabinets
- Available with 20, 32, 48, and 60 oz nickel plated all-steel kettle •
- Aluminum extruded cabinet frame •
- Stainless-steel base with stainless-steel slide out 50 lb corn bin on 4, 5, 6 ft cabinets
- Counterbalance dump and return system
- **Digital temperature controller** •
- Halogen lighting system •
- Twin popper model available with 5 an 6 ft cabinet
- 3 ft cabinets have resealable corn bins
- Lift off Vyvak doors for easy cleaning

STANDARD FEATURES

- Clean-in-place nickel plated all-steel kettle
- One-piece lid ensures maximum popcorn expansion
- · Direct-drive agitator motor provides longer motor life
- Cycling pilot light indicator
- Illuminated eye-level rocker switches
- Disposable filter system
- Clean-out drawer
- Exhaust and Cornditioner system
- Internal heat lamp(s) and heated corn deck
- Equipped for direct-oil feed
- Automatic jump-up kettle lid
- LED popcorn sign
- Available as counter or floor model

OPTIONS

- Backlit red and yellow LED popcorn sign
- Neon sign
- LED programmable sign
- ANSUL fire suppression system
- Pass through side glass (left or right) ٠
- ٠ Bin elevator
- Patented Pop It N' Top It system
- Bag filler
- Corn quard chute
- Ventless hood filtration system

Patented One-Pop control/One-Pop control with cycle counter

- This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- Counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production. Amount of oil dispensed is also automatically adjusted.

Bin Elevator

Increase storage capacity without increasing space requirements with our exclusive bin elevator. With a simple turn of a crank, a portion of the popper case bottom is lowered to warm and hold more popcorn during peak selling times. When extra space is not needed, simply crank the popper case bottom back up to its original position. The bin holds three 32 oz batches, equivalent to 39 (85 oz size) tubs. The cabinet plus the bin holds a total of six 32 oz batches.

- Customer side wing door (3 ft cabinet)
- Salt/sugar switch
- Patented One-Pop
- · Patented One-Pop with cycle counter
- Stainless-steel kettle (available for 32, 48 and 60 oz kettles)
- 100 lb corn bin

Patented Popit N' Topit

Our exclusive Popit N' Topit butter topper is operated using a handsfree push bar to deliver popcorn topping. Simply fill the bucket with fresh popcorn, press the hands-free push bar to deliver the topping and continue to fill the bucket to desired capacity. Top off the popcorn with another push of the bar, and you are done in one easy step. Reduce transaction time, prevent spills and drips, and maximize counter space.

Stainless-steel kettle

- · Stainless-steel durability is built directly into the kettle and will never rust.
- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.

Ventless Hood

We have partnered with Giles Foodservice Equipment, the premier manufacturer of the Ventless Recirculating Hood system, to create a popcorn machine that does not require expensive hood exhausting ducting. The three stage filter system includes a baffle grease filter, electrostatic air cleaner, and Polysorb® filter. The Ventless Hood limits the emission of grease-laden air to the room in accordance with NFPA 96.

Merchandising Signs

- · Sign options available for the Diplomat, Mach 5 and President Poppers
- · Choose from several sign options to maximize your message in the concession area: neon, red only, red and white and blinking red and white.





- Pass through dual control system
- Two side raw corn drawer
- Mobile Roc N' Roll Cornditioner
- Sliding NSF doors (4, 5 and 6 ft Twin)

Patented One-Pop Control



Salt/sugar Switch



Popit N' Topit





Bin Elevator (up)





Stainless-steel Kettle



Ventless Hood System



Neon Sign

Backlit LED Sign

Programmable LED Sign

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

VENTLESS AND ANSUL SAFETY

We understand how crucial it is to protect people and property from fire. Cretors was the first to pioneer this fire suppression system in the early 1990s with a UL[®] approved ANSUL[®] Fire Suppression System that provides frontline fire protection by automically detecting and suppressing fires. Insurance companies and fire inspectors recognize ANSUL to be the most effective system used to fight dangerous fires in the restaurant and food service industries. It is the leading brand in commercial kitchen fire suppression. Local fire departments normally do not require fire suppression or exterior exhaust systems for UL listed machines meeting the KNLZ and KNKG standard. Contact Cretors for more information about this important option.

ANSUL

- · Detectors located inside the cabinet quickly detect fire.
- Fire suppressant is discharged from multiple locations inside the cabinet to ensure rapid flame knockdown.
- · Power source is automatically shut off.
- UL listed machine meets KNLZ and KNKG standard.
- Available for 3, 4, 5 and 6 ft Twin cabinets
- ANSUL activation not included

Ventless Hood by Giles® Food Service Equipment

Cretors partnered with Giles Foodservice Equipment, the premier manufacturer of the Ventless Recirculating Hood System, to create a popcorn machine that does not require expensive hood exhausting ducting. Three stage filter system includes a baffle grease filter, electrostatic filter, and Polysorb[®] filter. The ventless hood limits the emission of grease-laden air to the room in accordance with NFPA 96.

- The Cretors popper with Ventless Hood is available with the ANSUL Fire Suppression System and is the first popper in the industry that has passed the KNKG UL test, making it one of the safest and most reliable machines.
- The innovative hood design incorporates Ventless Recirculating technology that expands your food service capabilities in areas with limited space.
- The Giles Foodservice Equipment Air Filtration System provides one of the most efficient air filtration systems in the industry.
- Using UL's EPA-202 test method, this machine limits the emission of grease-laden air to the room in accordance with NFPA 96.
- The Ventless Recirculating Hood System is designed to fit directly on top of the 3, 4, 5 and 6 ft Diplomat and Mach 5 popping cabinets. No minimum cabinet width is required.
- Available with 32, 48 and 60 oz kettles.
- Both ANSUL and Ventless Hood options can be manufactured separately or together for the Mach 5 and Diplomat machines.







VENTLESS AND ANSUL SAFETY





ANSUL canister inside base cabinet




Close-up of Ventless Feature



Ventless Filters

- · Baffle grease filter
- Electrostatic filter
- Polysorb filter







C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

OIL PUMPS, HEATERS AND WARMERS

The stainless-steel design of our oil pumps, heaters and warmers make them simple to use. Cretors offers three styles of oil pumps: The Bag-in-Box (BIB) Oil Pump, the Self Contained Automatic Bucket Pump and the Box Pump. Ideal for movie theaters, concession stands, restaurants, gourmet popcorn stores, and self-serve applications.



The Original Automatic Bag-in-Box (BIB) Oil Pump

Cretors first brought this innovation to concession stands based on a customer request for a pump that was easier to use and keep clean. The robust gear pump will ensure extended-term pump life.

- Heated shelf holds and warms two 35 lb boxes of popping oil
- Electronic timer provides accurate portion control when used in a popcorn machine.
- · Heated oil tubes available for coconut oil
- Front or rear oil line (optional)
- Remote control switch
- · Cabinet heater blower for use with coconut oil (optional)



Bag-in-Box (BIB) Short Oil Pump

This single-shelf pump is perfect for situations when the double-shelf BIB Oil Pump is not practical due to space limitations.

· Heated shelf holds and warms one 35 lb box of popping oil



Box Pump

A self-contained BIB oil pump with independent power cord provides compact oil delivery. This pump automatically delivers the proper amount of oil to the kettle with the push of a button. Magnets allow the pump to be placed anywhere in the machine. For liquid oils only.



Bag-in-Box (BIB) Backroom Warmer

Melting and maintaining popping oil at the proper temperature takes time. The BIB Backroom Warmer stores and liquefies four standard sized boxes on heated shelf decks, ensuring you have the popping oil you need when you need it.

- Holds and warms four 35 lb boxes of oil
- · Heated shelf decks melt and maintain product for immediate use
- · Can be used to heat other BIB items, such as cheese or topping
- Two-shelf warmer also available

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com



Heated Oil Pail Step

The Oil Pail Step makes it easy to slide a 50 lb pail of coconut oil into the base of your Cretors popcorn machine without spillage. Our step features a passive low-wattage heater to liquefy your reserve pail of coconut oil for an easy switch over to a fresh pail when needed.

Hot Rod

Hot Rod is the fastest, most economical way to melt solidified coconut oil in a pail. Rugged construction allows it to be forced into cold. hard oil. Insert the heating element directly into a pail of coconut oil, plug in and allow the heat to gently melt the oil for popper use.

- and delivers oil to kettle.
- Electronic 30-minute heat timer
- Use with 50 lb oil pail

- 50 lb Bucket Pumps
- Self-Contained Bucket Pump for use with Profiteer and T-3000 Plus models
- · Automatic Bucket Pump for use with all large poppers that are electrically wired for a pump
- Automatic portion control heats, measures
- Rugged cast aluminum heating element

POPPING SUPPLIES



Butterfly Popcorn

- 50 lb bag
- · Good for theaters
- PART #14228



Mushroom Popcorn

- 50 lb bag
- Good for caramel corn
- PART #14227



Portion Pack available in 6 oz, 8 oz, 12 oz

- 6 oz PK 36 PART #9820
- 8 oz PK 24 PART #9827
- 12 oz PK 28 PART #9830
- 50 lb Bulk Box
 PART #18778-BULK

Maize Glaze

Gourmet Salt

· Butter flavored

• PART #97940

• Part #9795

• 2 lb bag, 12 bags per case

Also available in 50 lb bulk box

Salt for Popcorn



Eco Bags

- 1½ oz PK 1000 PART #12964
- 2½ oz PK 500 PART #12967
- 4 oz PK 500 PART #12968
- 5 oz PK 500 PART #12969

Support Our Troops Bag



- 21/2 oz PK500
- PART #12967-USA





Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

ULISTED CULISTED CE



Cretors

C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

DIPLOMAT – SU	SPE	NDED	KETTLE N	ORTH	AME	RICA							
			ELECTRICAL				MACHI	NE DIMEN INCHES	ISIONS	SHIP	DIMENS INCHES	IONS	ship Weight
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
Diplomat 3' Counter	20 oz	400	120/208-240V/60HZ	4500	-	L14-30	28.00	36.00	50.25	33.00	41.00	56.00	300
Diplomat 3' Floor	20 oz	400	120/208-240V/60HZ	4500	-	L14-30	28.00	36.00	74.00	43.00	43.00	81.00	403
Diplomat 3' Floor Ventless	20 oz	400	120/208-240V/60HZ	4500	-	L14-30	28.00	36.00	83.00	43.00	43.00	89.00	403
Diplomat 3' Floor ANSUL	20 oz	400	120/208-240V/60HZ	4500	-	L14-30	28.00	36.00	74.00	43.00	43.00	81.00	403
Diplomat 4' Floor	20 oz	400	120/208-240V/60HZ	6180	-	L14-30	32.00	48.00	76.00	37.00	56.00	82.00	525
Diplomat 5' Floor	20 oz	400	120/208-240V/60HZ	6180	-	L14-30	32.00	60.00	76.00	37.00	67.00	82.00	590
Diplomat 6' Floor	20 oz	400	120/208-240V/60HZ	6180	-	L14-30	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Kettle Floor	2x20 oz	800	120/208-240V/60HZ	•	-	L14-30	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Kettle Floor Pass Through	2x20 oz	800	120/208-240V/60HZ	*	-	L14-30	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 3' Counter	32 oz	640	120/208-240V/60HZ	5685	-	14-50	28.00	36.00	50.25	33.00	41.00	58.50	300
Diplomat 3' Floor	32 oz	640	120/208-240V/60HZ	5685	-	14-50	28.00	36.00	74.00	43.00	43.00	81.00	415
Diplomat 3' Floor Ventless	32 oz	640	120/208-240V/60HZ	5685	-	14-50	28.00	36.00	74.00	43.00	43.00	81.00	415
Diplomat 3' Floor ANSUL	32 oz	640	120/208-240V/60HZ	5685	-	14-50	28.00	36.00	83.00	43.00	43.00	89.00	415
Diplomat 4' Self Serve Counter	32 oz	640	120/208-240V/60HZ	7300	-	14-50	29.00	48.00	54.00	39.00	57.00	64.00	300
Diplomat 4' Floor	32 oz	640	120/208-240V/60HZ	7300	-	14-50	32.00	48.00	76.00	37.00	56.00	82.00	525
Diplomat 5' Floor	32 oz	640	120/208-240V/60HZ	7300	-	14-50	32.00	60.00	76.00	37.00	67.00	82.00	590
Diplomat 6' Floor	32 oz	640	120/208-240V/60HZ	7500	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Kettle Floor	2x32 oz	1280	120/208-240V/60HZ	7500 5280	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Kettle Floor Pass Through	2x32 oz	1280	120/208-240V/60HZ	7500 5280	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911

* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

Add 750 watts for 32 oz stainless steel kettles.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.





DIPLOMAT – Sl	JSPE	NDED			AME	RICA	масни	NE DIMEI		euir	DIMENS	IONE	Ship
			ELECTRICAL				MAGHI	INCHES	1210112	SHIP	INCHES	IONS	WEIGH
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
Diplomat 3' Counter	48 oz	960	120/208V- 120/240V/60HZ	8640	-	14-50	28.00	36.00	50.25	33.00	41.00	58.50	300
Diplomat 3' Floor	48 oz	960	120/208V- 120/240V/60HZ	8640	-	14-50	28.00	36.00	77.50	43.00	43.00	82.00	450
Diplomat 3' Floor Ventless	48 oz	960	120/208V- 120/240V/60HZ	8640	-	14-50	28.00	36.00	83.00	43.00	43.00	89.00	450
Diplomat 3' Floor ANSUL	48 oz	960	120/208V- 120/240V/60HZ	8640	-	14-50	28.00	36.00	77.50	43.00	43.00	82.00	450
Diplomat 4' Floor	48 oz	960	120/208V- 120/240V/60HZ	8710	-	14-50	32.00	48.00	76.00	37.00	56.00	82.00	525
Diplomat 5' Floor	48 oz	960	120/208V- 120/240V/60HZ	8710	-	14-50	32.00	60.00	76.00	37.00	67.00	82.00	590
Diplomat 6' Floor	48 oz	960	120/208V- 120/240V/60HZ	8710	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Kettle Floor	2x48 oz	1920	120/208V- 120/240V/60HZ	8550 6250	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Kettle Floor Pass Through	2x48 oz	1920	120/208V- 120/240V/60HZ	8550 6250	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 3' Counter	60 oz	1200	120/208V- 120/240V/60HZ	8640	-	14-50	28.00	36.00	50.25	33.00	41.00	58.50	300
Diplomat 3' Floor	60 oz	1200	120/208V- 120/240V/60HZ	8640	-	14-50	28.00	36.00	77.50	43.00	43.00	82.00	455
Diplomat 3' Floor Ventless	60 oz	1200	120/208V- 120/240V/60HZ	8640	-	14-50	28.00	36.00	83.00	43.00	43.00	89.00	455
Diplomat 3' Floor ANSUL	60 oz	1200	120/208V- 120/240V/60HZ	8640	-	14-50	28.00	36.00	77.50	43.00	43.00	82.00	455
Diplomat 4' Floor	60 oz	1200	120/208V- 120/240V/60HZ	8710	-	14-50	32.00	48.00	76.00	37.00	56.00	82.00	525
Diplomat 5' Floor	60 oz	1200	120/208V- 120/240V/60HZ	8710	-	14-50	32.00	60.00	76.00	37.00	67.00	82.00	597
Diplomat 6' Floor	60 oz	1200	120/208V- 120/240V/60HZ	8710	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Kettle Floor	2x60 oz	2400	120/208V- 120/240V/60HZ	8550 6250	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Kettle Floor Pass Through	2x60 oz	2400	120/208V- 120/240V/60HZ	8550 6250	-	14-50	32.00	72.00	76.00	39.00	82.00	82.00	911
Diplomat 6' Twin Pop N' Roll	2x60 oz	4800	120/208V- 120/240V/60HZ	8550 6250	-	14-50	32.00	72.00	77.50	39.00	82.00	82.00	876



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 WWW.cretors.com

OIL PUMPS, HEATERS	AND WAF	MERS	NORTH	I AMEF	RICA						
		electrical			MACHI	NE DIME INCHES	NSIONS	Ship	DIMENS INCHES	IONS	ship Weight
MACHINE	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
7700 Automatic Bucket Pump, remote control	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Pump, self contained (use with Profiteer)	120V/60HZ	700	5.8	5-15	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Salt/Sugar Pump	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
Hot Rod	120V/60HZ	400	3.3	5-15	2.50	23.50	2.25	4.00	24.00	2.50	4
Bag-in-Box Pump with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	37
Bag-in-Box Pump Heated with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	35
Bag-in-Box Pump Heated with front/rear discharge	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Salt/Sugar Pump with Side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Backroom Warmer Heated 4 shelf unit	120V/60HZ	180	1.5	5-15	17.00	16.00	49.50	20.00	20.00	51.00	74

Contact Cretors for machine agency approval listings.





DIPLOMAT – SU	ISPEI	NDED	KETTLE	EXPOR [®]	r – Ce Maf	rk avai	LABLE					
			ELECTRICAL				NE DIMEI			P DIMENS		ship Weight
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
Diplomat 3' Counter	20 oz	400	230/380V/50HZ	4500	-	71.12	91.44	127.64	83.82	104.14	142.24	135.00
Diplomat 3' Floor	20 oz	400	230/380V/50HZ	4500	-	71.12	91.44	187.96	109.22	109.22	205.74	181.35
Diplomat 3' Floor Ventless	20 oz	400	230/380V/50HZ	4500	-	71.12	91.44	210.82	109.22	109.22	226.06	181.35
Diplomat 3' Floor ANSUL	20 oz	400	230/380V/50HZ	4500	-	71.12	91.44	187.96	109.22	109.22	205.74	181.35
Diplomat 4' Floor	20 oz	400	230/380V/50HZ	6180	-	81.28	121.92	193.04	93.98	142.24	208.28	236.25
Diplomat 5' Floor	20 oz	400	230/380V/50HZ	6180	-	81.28	152.40	193.04	93.98	170.18	208.28	265.50
Diplomat 6' Floor	20 oz	400	230/380V/50HZ	6180	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Kettle Floor	2x20 oz	800	230/380V/50HZ	6180 4150	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Kettle Floor Pass Through	2x20 oz	800	230/380V/50HZ	6180 4150	-	81.28	182.88	193.04	99.06	83.82	208.28	409.95
Diplomat 3' Counter	32 oz	640	230/380V/50HZ	5685	-	71.12	91.44	127.64	83.82	104.14	148.59	135.00
Diplomat 3' Floor	32 oz	640	230/380V/50HZ	5685	-	71.12	91.44	187.96	109.22	109.22	205.74	186.75
Diplomat 3' Floor Ventless	32 oz	640	230/380V/50HZ	5685	-	71.12	91.44	210.82	109.22	109.22	226.06	186.75
Diplomat 3' Floor ANSUL	32 oz	640	230/380V/50HZ	5685	-	71.12	91.44	187.96	109.22	109.22	205.74	186.75
Diplomat 4' Self Serve Counter	32 oz	640	230/380V/50HZ	7300	-	73.66	121.92	137.16	99.06	144.78	162.56	135.00
Diplomat 4' Floor	32 oz	640	230/380V/50HZ	7300	-	81.28	121.92	193.04	93.98	142.24	208.28	236.25
Diplomat 5' Floor	32 oz	640	230/380V/50HZ	7300	-	81.28	152.40	193.04	93.98	170.18	208.28	265.50
Diplomat 6' Floor	32 oz	640	230/380V/50HZ	7500	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Kettle Floor	2x32 oz	1280	230/380V/50HZ	7500 5280	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Kettle Floor Pass Through	2x32 oz	1280	230/380V/50HZ	7500 5280	-	81.28	182.88	193.04	99.06	83.82	208.28	409.95

* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

Add 750 watts for 32 oz stainless steel kettles.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.





			ELECTRICAL				NE DIMEI			P DIMENS		Ship Weight
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
Diplomat 3' Counter	48 oz	960	230/380V/50HZ	8640	-	71.12	91.44	127.64	83.82	104.14	148.59	135.00
Diplomat 3' Floor	48 oz	960	230/380V/50HZ	8640	-	71.12	91.44	196.85	109.22	109.22	208.28	202.50
Diplomat 3' Floor Ventless	48 oz	960	230/380V/50HZ	8640	-	71.12	91.44	210.82	109.22	109.22	226.06	202.50
Diplomat 3' Floor ANSUL	48 oz	960	230/380V/50HZ	8640	-	71.12	91.44	196.85	109.22	109.22	208.28	202.50
Diplomat 4' Floor	48 oz	960	230/380V/50HZ	8710	-	81.28	121.92	193.04	93.98	142.24	208.28	236.25
Diplomat 5' Floor	48 oz	960	230/380V/50HZ	8710	-	81.28	152.40	193.04	93.98	170.18	208.28	265.50
Diplomat 6' Floor	48 oz	960	230/380V/50HZ	8710	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Kettle Floor	2x48 oz	1920	230/380V/50HZ	8550 6250	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Kettle Floor Pass Through	2x48 oz	1920	230/380V/50HZ	8550 6250	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 3' Counter	60 oz	1200	230/380V/50HZ	8640	-	71.12	91.44	127.64	83.82	104.14	148.59	135.00
Diplomat 3' Floor	60 oz	1,200	230/380V/50HZ	8640	-	71.12	91.44	196.85	109.22	109.22	208.28	204.75
Diplomat 3' Floor Ventless	60 oz	1200	230/380V/50HZ	8640	-	71.12	91.44	210.82	109.22	109.22	226.06	204.75
Diplomat 3' Floor ANSUL	60 oz	1200	230/380V/50HZ	8640	-	71.12	91.44	196.85	109.22	109.22	208.28	204.75
Diplomat 4' Floor	60 oz	1200	230/380V/50HZ	8710	-	81.28	121.92	193.04	93.98	142.24	208.28	236.25
Diplomat 5' Floor	60 oz	1200	230/380V/50HZ	8710	-	81.28	152.40	193.04	93.98	170.18	208.28	268.65
Diplomat 6' Floor	60 oz	1200	230/380V/50HZ	8710	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Kettle Floor	2x60 oz	2400	230/380V/50HZ	8550 6520	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Kettle Floor Pass Through	2x60 oz	2400	230/380V/50HZ	8550 6250	-	81.28	182.88	193.04	99.06	208.28	208.28	409.95
Diplomat 6' Twin Pop N' Roll	2x60 oz	2400	230/380V/50HZ	8550 6250	-	81.28	182.88	196.85	99.06	208.28	208.28	394.20





OIL PUMPS, HEATERS	AND WAR	MERS	EXPORT	– CE	MARK	AVAIL	ABLE				
		ELECTRICAL			MACHIN		NSIONS		DIMENS		Ship Weight
MACHINE	VOLTAGE	WATTS	AMPS		LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
7700 Automatic Bucket Pump, remote control	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Pump, self contained (use with Profiteer)	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Salt/Sugar Pump	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
Hot Rod	230V/50HZ	400	1.7		6.35	59.69	5.72	10.16	60.96	6.35	1.80
Bag-in-Box Pump with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	16.65
Bag-in-Box Pump Heated with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	15.75
Bag-in-Box Pump Heated with front/rear discharge	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Salt/Sugar Pump with Side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Backroom Warmer Heated 4 shelf unit	230V/50HZ	180	8		43.18	40.64	125.73	50.80	50.80	129.54	33.30

Contact Cretors for machine agency approval listings.





PRESIDENT

ELECTRIC GIANT – PEDESTAL-STYLE KETTLE

The President is the leader in high-volume upfront poppers, yet it performs beautifully behind the scenes as well. With a design that's withstood the test of time, our President has evolved into three variations of the classic cabinet style: Enclosed Top, Open Top and No Top. All cabinets come in 4, 5 and 6 ft widths.



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 WWW.cretors.com



The cabinets are constructed with a welded angle-iron frame for durability and longevity. Stainless-steel panels and receiving tray are not only sanitary, they are also easy to clean. And because they are built so solidly, we put them on special heavy-duty casters for maneuverability. The President is ideal for theatres, amusement parks, stadiums and arenas.

Twin President Without Top (6 ft Twin shown)

Twin Enclosed President without the top utilizes existing built-in exhaust systems in popcorn production areas

- Side glass panels extend to the full height of the Enclosed President
- Includes vinyl smoke baffles
- · Easily installs under built-in ceiling exhaust systems



(6 ft Twin shown)

Twin Enclosed President

Most popular





ELECTRIC GIANT – PEDESTAL STYLE POPPERS

It's not just how much corn you pop, it's how well you pop it. That's the philosophy behind our high-volume Giant Poppers, which let you pop anywhere from a small amount to a mountain of popcorn. These Cretors poppers are designed as compatible components in your production system. Designed to operate efficiently behind the scenes or up front, they're ideal for theaters, shopping malls, stadiums and arenas.

Our Giant Poppers are designed to work with three distinct cabinet configurations: Open Top President, Enclosed Top President, and President without top. The poppers can be built directly into custom millwork and are available in gas or electric power.







PRESIDENT CABINET KEY FEATURES

- Accepts electric poppers only
- **Stainless-steel construction** •
- Stainless-steel receiving tray
- **Recessed storage bin**
- 50 lb corn drawer
- Exclusive Cornditioner system
- Available in 4, 5, and 6 ft Twin sizes (excluding Open Top President)
- Sliding NSF doors available on 4, 5, and 6 ft frames

GIANT PEDESTAL POPPER KEY FEATURES

- One-piece kettle design
- Direct oil feed (60 oz only)
- Direct drive motor
- Stainless-steel pedestal
- Digital temperature controller (60 oz only)
- · Controls located on pedestal for efficient operation
- · Available in either left hand or right hand dump

PRESIDENT OPTIONS

- Backlit LED sign
- Neon sign
- Plain stainless-steel top ٠
- No top
- ٠ Salt/sugar switch
- Patented One-Pop

- Patented One-Pop with cycle counter
- ANSUL (single) available for 3, 4, 5 and 6 ft Twin cabinets
- ANSUL activation not included
- Integrated pump
- Pass through side glass (left or right)

Bag filler

- Corn guard chute
- · Dual control system
- Front/rear operation
- 100 lb raw corn drawer
- External exhaust fan control

Patented One-Pop control/One-Pop control with cycle counter

- · This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- Counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production. Amount of oil dispensed is also automatically adjusted.

Stainless-steel kettle

- · Stainless-steel durability is built directly into the kettle and will never rust.
- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.







Patented One-Pop Control

Salt/sugar Switch

OIL PUMPS, HEATERS AND WARMERS

The stainless-steel design of our oil pumps, heaters and warmers make them simple to use. Cretors offers three styles of oil pumps: The Bag-in-Box (BIB) Oil Pump, the Self Contained Automatic Bucket Pump and the Box Pump. Ideal for movie theaters, concession stands, restaurants, gourmet popcorn stores, and self-serve applications.



The Original Automatic Bag-in-Box (BIB) Oil Pump

Cretors first brought this innovation to concession stands based on a customer request for a pump that was easier to use and keep clean. The robust gear pump will ensure extended-term pump life.

- Heated shelf holds and warms two 35 lb boxes of popping oil
- Electronic timer provides accurate portion control when used in a popcorn machine.
- · Heated oil tubes available for coconut oil
- Front or rear oil line (optional)
- Remote control switch
- · Cabinet heater blower for use with coconut oil (optional)



Bag-in-Box (BIB) Short Oil Pump

This single-shelf pump is perfect for situations when the double-shelf BIB Oil Pump is not practical due to space limitations.

· Heated shelf holds and warms one 35 lb box of popping oil

Self-Contained Bucket Pump for use

· Automatic Bucket Pump for use with

all large poppers that are electrically

Automatic portion control heats, measures

Rugged cast aluminum heating element Electronic 30-minute heat timer

Hot Rod is the fastest, most economical way

to melt solidified coconut oil in a pail. Rugged

construction allows it to be forced into cold.

hard oil. Insert the heating element directly

heat to gently melt the oil for popper use.

into a pail of coconut oil, plug in and allow the

with Profiteer and T-3000 Plus models

50 lb Bucket Pumps

wired for a pump

• Use with 50 lb oil pail

Hot Rod

and delivers oil to kettle.



Box Pump


A self-contained BIB oil pump with independent power cord provides compact oil delivery. This pump automatically delivers the proper amount of oil to the kettle with the push of a button. Magnets allow the pump to be placed anywhere in the machine. For liquid oils only.



Bag-in-Box (BIB) Backroom Warmer

Melting and maintaining popping oil at the proper temperature takes time. The BIB Backroom Warmer stores and liquefies four standard sized boxes on heated shelf decks, ensuring you have the popping oil you need when you need it.

- Holds and warms four 35 lb boxes of oil
- · Heated shelf decks melt and maintain product for immediate use
- · Can be used to heat other BIB items, such as cheese or topping
- Two-shelf warmer also available





Heated Oil Pail Step

The Oil Pail Step makes it easy to slide a 50 lb

pail of coconut oil into the base of your Cretors

features a passive low-wattage heater to liquefy

popcorn machine without spillage. Our step

your reserve pail of coconut oil for an easy

switch over to a fresh pail when needed.

C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

POPPING SUPPLIES



Butterfly Popcorn

- 50 lb bag
- · Good for theaters
- PART #14228



Mushroom Popcorn

- 50 lb bag
- · Good for caramel corn
- PART #14227



Portion Pack available in 6 oz, 8 oz, 12 oz

- 6 oz PK 36 PART #9820
- 8 oz PK 24 PART #9827
- 12 oz PK 28 PART #9830
- 50 lb Bulk Box PART #18778-BULK

Gourmet Salt

· Butter flavored

• PART #97940

• Part #9795

Maize Glaze

• 2 lb bag, 12 bags per case

Also available in 50 lb bulk box

Salt for Popcorn



Eco Bags

- 1½ oz PK 1000 PART #12964
- 2½ oz PK 500 PART #12967
- 4 oz PK 500 PART #12968
- 5 oz PK 500 PART #12969

Support Our Troops Bag

- 21/2 oz PK500
- PART #12967-USA







Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com



Cretors

C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

PRESIDENT - PEDESTAL-STYLE POPPER NORTH AMERICA

			ELECTRICAL				MACHI	NE DIMEN Inches	ISIONS	SHIP	DIMENS	IONS	ship Weight
MACHINE	KETTLE	SERVINGS*	* VOLTAGE	WATTS	BTU	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
20 oz Giant													
Electric Giant & OEM Popper	20 oz	400	120/208-120/240V/60HZ	3800	-	L14-30	10.50	10.50	27.50	25.00	28.00	35.00	100
Electric Giant Open Stadium Cabinet 5'	20 oz	400	120/208-120/240V/60HZ	5100	-	L14-30	38.75	60.00	63.00	45.00	69.00	71.00	603
Electric Giant Enclosed President Cabinet 4'	20 oz	400	120/208-120/240V/60HZ	5100	-	L14-30	28.00	48.00	75.00	37.00	56.00	82.00	528
Electric Giant Enclosed President Cabinet 5'	20 oz	400	120/208-120/240V/60HZ	5100	-	L14-30	28.00	60.00	75.00	37.00	67.00	82.00	595
Electric Giant Enclosed President Cabinet 6' Twin	2x20 oz	800	120/208-120/240V/60HZ	•	-	L14-30 L14-30	28.00	72.00	75.00	39.00	84.00	72.00	675
32 oz Giant													
Electric Giant & OEM Popper	32 oz	640	120/208-120/240V/60HZ	5200	-	L14-30	18.00	23.00	32.50	25.00	28.00	35.00	116
Electric Giant Open Stadium Cabinet 5'	32 oz	640	120/208-120/240V/60HZ	6650	-	14-50	28.00	60.00	63.00	39.00	69.00	71.00	503
Electric Giant Enclosed President Cabinet 4'	32 oz	640	120/208-120/240V/60HZ	7150	-	14-50	28.00	48.00	75.00	37.00	56.00	82.00	528
Electric Giant Enclosed President Cabinet 5'	32 oz	640	120/208-120/240V/60HZ	6650	-	14-50	28.00	60.00	75.00	37.00	67.00	82.00	597
Electric Giant Enclosed President Cabinet 6' Twin	2x32 oz	1280	120/208-120/240V/60HZ	6800 5200	-	14-50 14-50	28.00	72.00	75.00	39.00	84.00	82.00	675
Electric Giant Enclosed President No Top 4'	32 oz	640	120/208-120/240V/60HZ	6250	-	14-50	28.00	48.00	66.25	39.00	57.00	72.00	490
Electric Giant Enclosed President No Top 5'	32 oz	640	120/208-120/240V/60HZ	6250	-	14-50	28.00	60.00	66.25	39.00	69.00	72.00	490
Electric Giant Enclosed President No Top 6' Twin	2x32 oz	1280	120/208-120/240V/60HZ	6800 5200	-	14-50 14-50	28.00	72.00	66.25	39.00	84.00	72.00	490





PRESIDENT – PI	EDES	STAL	-STYLE POF	PEI	R NO	RTH A	MERIC	A					
			ELECTRICAL				MACHI	NE DIMEN INCHES	ISIONS	SHIP	DIMENS	IONS	Ship Weight
MACHINE	KETTLE S	SERVINGS	* VOLTAGE	WATTS	BTU	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
48 oz Giant													
Giant & OEM Popper	48 oz	960	120/208-120/240V/60HZ	6800	-	14-50	18.00	23.00	32.50	25.00	28.00	35.00	116
Electric Giant Open Stadium Cabinet 5'	48 oz	960	120/208-120/240V/60HZ	8200	-	14-50	28.00	60.00	63.00	39.00	69.00	71.00	520
Electric Giant Enclosed President Cabinet 4'	48 oz	960	120/208-120/240V/60HZ	8200	-	14-50	28.00	48.00	75.00	39.00	57.00	82.00	528
Electric Giant Enclosed President Cabinet 5'	48 oz	960	120/208-120/240V/60HZ	8200	-	14-50	28.00	60.00	75.00	38.00	69.00	82.00	546
Electric Giant Enclosed President Cabinet 6' Twin	2x48 oz	1920	120/208-120/240V/60HZ	8350 6800	-	14-50 14-50	28.00	72.00	76.00	39.00	84.00	82.00	872
Electric Giant Enclosed President No Top 4'	48 oz	960	120/208-120/240V/60HZ	8000	-	14-50	28.00	48.00	66.50	39.00	57.00	72.00	490
Electric Giant Enclosed President No Top 5'	48 oz	960	120/208-120/240V/60HZ	8000	-	14-50	28.00	60.00	66.50	39.00	69.00	72.00	495
Electric Giant Enclosed President No Top 6' Twin	2x48 oz	1920	120/208-120/240V/60HZ	8350 6800	-	14-50 14-50	28.00	72.00	66.55	39.00	84.00	72.00	780
60 oz Giant													
Giant & OEM Popper	60 oz	1200	120/208-120/240V/60HZ	6800	-	14-50	18.00	23.00	32.50	25.00	28.00	35.00	116
Electric Giant Open Stadium Cabinet 5'	60 oz	1200	120/208-120/240V/60HZ	8200	-	14-50	28.00	60.00	63.00	39.00	69.00	71.00	520
Electric Giant Enclosed President Cabinet 4'	60 oz	1200	120/208-120/240V/60HZ	8200	-	14-50	28.00	48.00	76.00	39.00	57.00	82.00	528
Electric Giant Enclosed President Cabinet 5'	60 oz	1200	120/208-120/240V/60HZ	8200	-	14-50	28.00	60.00	76.00	39.00	69.00	82.00	575
Electric Giant Enclosed President Cabinet 6' Twin	2x60 oz	2400	120/208-120/240V/60HZ	8350 6800	_	14-50 14-50	28.00	72.00	76.00	39.00	84.00	82.00	872
Electric Giant Enclosed President No Top 4'	60 oz	1200	120/208-120/240V/60HZ	•	-	14-50	28.00	48.00	66.50	39.00	57.00	72.00	490
Electric Giant Enclosed President No Top 5'	60 oz	1200	120/208-120/240V/60HZ	8000	-	14-50	28.00	60.00	66.50	39.00	69.00	72.00	546
Electric Giant Enclosed President No Top 6' Twin	2x60 oz	2400	120/208-120/240V/60HZ	8350 6800	-	14-50 14-50	28.00	72.00	66.50	39.00	84.00	72.00	780

* 1 oz servings per hour

Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers.

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

OEM Poppers are designed with an extra set of switches that control other cabinet features (fan and lights).

All Giant poppers available in left hand or right hand dump.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.





OIL PUMPS, HEATERS	AND WAR	MERS	NORTH	I AMEF	RICA						
		ELECTRICAL			MACHII	NE DIME INCHES	nsions	Ship	DIMENS	IONS	ship Weight
MACHINE	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
7700 Automatic Bucket Pump, remote control	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Pump, self contained (use with Profiteer)	120V/60HZ	700	5.8	5-15	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Salt/Sugar Pump	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
Hot Rod	120V/60HZ	400	3.3	5-15	2.50	23.50	2.25	4.00	24.00	2.50	4
Bag-in-Box Pump with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	37
Bag-in-Box Pump Heated with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	35
Bag-in-Box Pump Heated with front/rear discharge	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Salt/Sugar Pump with Side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Backroom Warmer Heated 4 shelf unit	120V/60HZ	180	1.5	5-15	17.00	16.00	49.50	20.00	20.00	51.00	74

Contact Cretors for machine agency approval listings.





			ELECTRICAL				NE DIMEI			DIMENS		Ship Weigh
MACHINE	KETTLE S	SERVINGS*	VOLTAGE	WATTS	BTU	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
20 oz Giant					-							
Electric Giant & OEM Popper	20 oz	400	230V/50HZ	3800	-	26.67	26.67	69.85	63.50	71.12	88.90	45.00
Electric Giant Open Stadium Cabinet 5'	20 oz	400	230V/50HZ	5100	-	98.43	152.40	160.02	114.30	175.26	180.34	271.35
Electric Giant Enclosed President Cabinet 4'	20 oz	400	230V/50HZ	5100	-	71.12	121.92	190.50	93.98	142.24	208.28	237.60
Electric Giant Enclosed President Cabinet 5'	20 oz	400	230V/50HZ	5100	-	71.12	152.40	190.50	93.98	170.18	208.28	267.75
Electric Giant Enclosed President Cabinet 6' Twin	2x20 oz	800	230V/50HZ	•	-	71.12	182.88	190.50	99.06	213.36	182.88	303.75
32 oz Giant												
Electric Giant & OEM Popper	32 oz	640	230V/50HZ	5200	-	45.72	58.42	82.55	63.50	71.12	88.90	52.20
Electric Giant Open Stadium Cabinet 5'	32 oz	640	230V/50HZ	6650	-	71.12	152.40	160.02	99.06	175.26	180.34	226.35
Electric Giant Enclosed President Cabinet 4'	32 oz	640	230V/50HZ	7150	-	71.12	121.92	190.50	93.98	142.24	208.28	237.60
Electric Giant Enclosed President Cabinet 5'	32 oz	640	230V/50HZ	6650	-	71.12	152.40	190.50	93.98	170.18	208.28	268.65
Electric Giant Enclosed President Cabinet 6' Twin	2x32 oz	1280	230V/50HZ	6800 5200	-	71.12	182.88	190.50	99.06	213.36	208.28	303.75
Electric Giant Enclosed President No Top 4'	32 oz	640	230V/50HZ	6250	-	71.12	121.92	168.28	99.06	144.78	182.88	220.50
Electric Giant Enclosed President No Top 5'	32 oz	640	230V/50HZ	6250	-	71.12	152.40	168.28	99.06	175.26	182.88	220.50
Electric Giant Enclosed President No Top 6' Twin	2x32 oz	1280	230V/50HZ	6800 5200	_	71.12	182.88	168.28	99.06	213.36	182.88	220.50





			ELECTRICAL				NE DIMEI Centimeter			DIMENS		Ship Weigh
MACHINE	KETTLE S	SERVINGS*	VOLTAGE	WATTS	BTU	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
48 oz Giant												
Giant & OEM Popper	48 oz	960	230V/50HZ	6800	-	45.72	58.42	82.55	63.50	71.12	88.90	52.20
Electric Giant Open Stadium Cabinet 5'	48 oz	960	230V/50HZ	8200	-	71.12	60.00	63.00	39.00	69.00	71.00	234.00
Electric Giant Enclosed President Cabinet 4'	48 oz	960	230V/50HZ	8200	-	71.12	121.92	190.50	99.06	144.78	208.28	237.60
Electric Giant Enclosed President Cabinet 5'	48 oz	960	230V/50HZ	8200	-	71.12	152.40	190.50	96.52	175.26	208.28	245.70
Electric Giant Enclosed President Cabinet 6' Twin	2x48 oz	1920	230V/50HZ	8350 6800	-	71.12	182.88	193.04	99.06	213.36	208.28	392.40
Electric Giant Enclosed President No Top 4'	48 oz	960	230V/50HZ	8000	-	71.12	121.92	168.91	99.06	144.78	182.88	220.50
Electric Giant Enclosed President No Top 5'	48 oz	960	230V/50HZ	8000	-	71.12	152.40	168.91	99.06	175.26	182.88	222.75
Electric Giant Enclosed President No Top 6' Twin	2x48 oz	1920	230V/50HZ	8350 6800	-	71.12	182.88	169.04	99.06	213.36	182.88	351.00
60 oz Giant												
Giant & OEM Popper	60 oz	1200	230V/50HZ	6800	-	45.72	58.42	82.55	63.50	71.12	88.90	52.20
Electric Giant Open Stadium Cabinet 5'	60 oz	1200	230V/50HZ	8200	-	71.12	152.40	160.02	99.06	175.26	180.34	234.00
Electric Giant Enclosed President Cabinet 4'	60 oz	1200	230V/50HZ	8200	-	71.12	121.92	193.04	99.06	144.78	208.28	237.60
Electric Giant Enclosed President Cabinet 5'	60 oz	1200	230V/50HZ	8200	-	71.12	152.40	193.04	99.06	175.26	208.28	258.75
Electric Giant Enclosed President Cabinet 6' Twin	2x60 oz	2400	230V/50HZ	8350 6800	-	71.12	182.88	193.04	99.06	213.36	208.28	392.40
Electric Giant Enclosed President No Top 4'	60 oz	1200	230V/50HZ	•	-	71.12	121.92	168.91	99.06	144.78	182.88	220.50
Electric Giant Enclosed President No Top 5'	60 oz	1200	230V/50HZ	8000	-	71.12	152.40	168.91	99.06	175.26	182.88	245.70
Electric Giant Enclosed President No Top 6' Twin	2x60 oz	2400	230V/50HZ	8350 6800	-	71.12	182.88	168.91	99.06	213.36	182.88	351.00

* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers.

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

OEM Poppers are designed with an extra set of switches that control other cabinet features (fan and lights).

All Giant poppers available in left hand or right hand dump.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.





OIL PUMPS, HEATERS	AND WAR	MERS	EXPORT	– CE	MARK	AVAIL	ABLE				
		ELECTRICAL			MACHIN		NSIONS		DIMENS		Ship Weight
MACHINE	VOLTAGE	WATTS	AMPS		LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
7700 Automatic Bucket Pump, remote control	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Pump, self contained (use with Profiteer)	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Salt/Sugar Pump	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
Hot Rod	230V/50HZ	400	1.7		6.35	59.69	5.72	10.16	60.96	6.35	1.80
Bag-in-Box Pump with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	16.65
Bag-in-Box Pump Heated with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	15.75
Bag-in-Box Pump Heated with front/rear discharge	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Salt/Sugar Pump with Side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Backroom Warmer Heated 4 shelf unit	230V/50HZ	180	8		43.18	40.64	125.73	50.80	50.80	129.54	33.30

Contact Cretors for machine agency approval listings.





PRODUCTION TABLES AND CARTS


ELECTRIC AND GAS GIANT – PEDESTAL-STYLE KETTLE

If high volume backroom production is what you need, simply install the pedestal kettle onto one of our knockdown tables. Match the kettle size with the perfect table for your operation. Expand your product line to include savory, as well as candy and caramel-coated popcorn. An optional blower fan can be added to the table that aids in cooling sugar-coated popcorn; making it ideal for producing caramel corn and kettle corn. Tables come in 3.5, 4.5, 6 and 6 ft Twin-size widths.










• Two shelves for installation of either two pedestal poppers or combination pedestal popper and caramelizer

G60 Four-Wheel Cart

This rugged four-wheel cart with stainless-steel receiving bin, when combined with the gas-powered 60 oz Giant, is perfect for events, street fairs, large venue fests and other locations where high-volume popcorn mobility is required. Built for gas poppers.

- Side support holds gas tank
- Storage area for supplies
- Durable powder-coated finish
- Shown with optional canopy





G12 Two-Wheel Cart

Welded wagon base
Durable powder-coated finish
Accomodates 12 oz gas popper
Side support for gas tank

Our two-wheel cart with stainless-steel

receiving bin, when combined with the gas

powered 12 oz Giant, is perfect for special

events, local community fests and other

locations where mobility is required.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 WWW.cretors.com

ELECTRIC AND GAS GIANT – PEDESTAL STYLE POPPERS

It's not just how much corn you pop, it's how well you pop it. That's the philosophy behind our high-volume Giant Poppers, which let you pop anywhere from a small amount to a mountain of popcorn. These Cretors poppers are designed as compatible components in your production system. Designed to operate efficiently behind the scenes or up front, they're ideal for theaters, shopping malls, stadiums and arenas.

Our Giant Poppers are designed to work with three distinct cabinet configurations: Open Top President, Enclosed Top President, and President without top. The poppers can be built directly into custom millwork and are available in gas or electric power.

Electric Giant Pedestal Popper

·····

- 20, 32, 48, and 60 oz kettles
- Digital readout ensures accurate temperature settings and readings
- Cycling pilot light
- · Lighted rocker switches





Cretors Exclusive One-Piece Kettle design with Direct Oil Feed

Our ingenuity sets us apart. Our distinct kettle design addresses several issues found in the field with Cretors exclusive solutions.

- Direct inject oil feed delivers oil directly inside the kettle, preventing messy exterior oil drips and spills
- Kettle cover comes apart easily with tab and pin design for easy cleaning
- Welded raised pan center prevents oil leakage into the motor

Gas Giant Pedestal Popper

The unique enclosed burner collar keeps the flame contained and positioned directly under the bottom of the kettle, increasing heat efficiency and channels hot exhaust.

- 12, 32, and 60 oz kettles
- Propane or natural gas
- Safety pilot automatically cuts off gas if pilot burner goes out (32 and 60 oz only)
- Electric direct drive motor
- Requires small amount of electrical power (contact your Cretors representative for further details)
- Lighted rocker switches

Easy-to-read controls

60 oz features:

- · Exhaust vent located on back of kettle
- Digital readout ensures accurate temperature settings and readings
- A safety off switch automatically turns off burner flame when the kettle is lifted for dumping. The flame automatically relights when the kettle is placed back into the cooking position
- · Cycling pilot light with digital temperature controller

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.





C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

PRODUCTION TABLE KEY FEATURES

- Rust proof stainless-steel construction
- Accepts both electric and gas poppers
- Digital temperature controller
- 50 lb corn bin
- Available in 3.5, 4.5, 6, and 6 ft twin sizes

PRODUCTION TABLE OPTIONS

- Dual control and kettle dump
- · Second shelf can be added for second popper or caramelizer
- Right hand or left hand operation
- Twin cooling bin with fan
- Corn guard chute
- 100 lb corn bin
- Pump caddy
- Salt/sugar switch
- Patented One-Pop
- Patented One-Pop with cycle counter

Patented One-Pop control/One-Pop control with cycle counter

- This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- Counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production. Amount of oil dispensed is also automatically adjusted.

Stainless-steel kettle

- Stainless-steel durability is built directly into the kettle and will never rust.
- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.

GIANT PEDESTAL POPPER KEY FEATURES

- Nickel plated all-steel kettle (G12 only)
- One-piece kettle design
- Direct oil feed (60 oz only)
- Direct drive motor
- Stainless-steel pedestal
- Digital temperature controller (60 oz only)
- Controls located on pedestal for efficient operation
- Available in either left hand or right hand dump

GIANT PEDESTAL POPPER OPTIONS

- Stainless-steel pan (32 and 60 oz gas)
- Salt/sugar switch
- Patented One-Pop control
- Patented One-Pop control with cycle counter

Patented One-Pop Control



Salt/sugar Switch





OIL PUMPS, HEATERS AND WARMERS

The stainless-steel design of our oil pumps, heaters and warmers make them simple to use. Cretors offers three styles of oil pumps: The Bag-in-Box (BIB) Oil Pump, the Self Contained Automatic Bucket Pump and the Box Pump. Ideal for movie theaters, concession stands, restaurants, gourmet popcorn stores, and self-serve applications.



The Original Automatic Bag-in-Box (BIB) Oil Pump

Cretors first brought this innovation to concession stands based on a customer request for a pump that was easier to use and keep clean. The robust gear pump will ensure extended-term pump life.

- Heated shelf holds and warms two 35 lb boxes of popping oil
- Electronic timer provides accurate portion control when used in a popcorn machine.
- · Heated oil tubes available for coconut oil
- Front or rear oil line (optional)
- Remote control switch
- · Cabinet heater blower for use with coconut oil (optional)



Bag-in-Box (BIB) Short Oil Pump

This single-shelf pump is perfect for situations when the double-shelf BIB Oil Pump is not practical due to space limitations.

· Heated shelf holds and warms one 35 lb box of popping oil



Box Pump

A self-contained BIB oil pump with independent power cord provides compact oil delivery. This pump automatically delivers the proper amount of oil to the kettle with the push of a button. Magnets allow the pump to be placed anywhere in the machine. For liquid oils only.



Bag-in-Box (BIB) Backroom Warmer


Melting and maintaining popping oil at the proper temperature takes time. The BIB Backroom Warmer stores and liquefies four standard sized boxes on heated shelf decks, ensuring you have the popping oil you need when you need it.

- Holds and warms four 35 lb boxes of oil
- · Heated shelf decks melt and maintain product for immediate use
- · Can be used to heat other BIB items, such as cheese or topping
- Two-shelf warmer also available

Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com



- with Profiteer and T-3000 Plus models
- · Automatic Bucket Pump for use with all large poppers that are electrically wired for a pump
- Automatic portion control heats, measures and delivers oil to kettle.
- Rugged cast aluminum heating element
- Electronic 30-minute heat timer
- Use with 50 lb oil pail



Heated Oil Pail Step

The Oil Pail Step makes it easy to slide a 50 lb pail of coconut oil into the base of your Cretors popcorn machine without spillage. Our step features a passive low-wattage heater to liquefy your reserve pail of coconut oil for an easy switch over to a fresh pail when needed.



Hot Rod is the fastest, most economical way to melt solidified coconut oil in a pail. Rugged construction allows it to be forced into cold. hard oil. Insert the heating element directly into a pail of coconut oil, plug in and allow the heat to gently melt the oil for popper use.

POPPING SUPPLIES



Butterfly Popcorn

- 50 lb bag
- · Good for theaters
- PART #14228



Mushroom Popcorn

- 50 lb bag
- · Good for caramel corn
- PART #14227



Portion Pack available in 6 oz, 8 oz, 12 oz

- 6 oz PK 36 PART #9820
- 8 oz PK 24 PART #9827
- 12 oz PK 28 PART #9830
- 50 lb Bulk Box PART #18778-BULK

Gourmet Salt

· Butter flavored

• PART #97940

• Part #9795

Maize Glaze

• 2 lb bag, 12 bags per case

Also available in 50 lb bulk box

Salt for Popcorn



Eco Bags


- 1½ oz PK 1000 PART #12964
- 2½ oz PK 500 PART #12967
- 4 oz PK 500 PART #12968
- 5 oz PK 500 PART #12969

Support Our Troops Bag

- 21/2 oz PK500
- PART #12967-USA











C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 WWW.cretors.com

PRODUCTION TABLES AND CARTS 5.16



Cretors

C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

PRODUCTION T								NE DIMEN			DIMENS		Ship Weight
MACHINE	KETTLE	SERVINGS	* VOLTAGE	WATTS	BTU	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
12 oz Giant													
Giant Propane/Natural	12 oz	240	120V/60HZ	100	13,000	5-15	12.00	14.00	24.00	15.00	16.00	25.00	29
Gas Giant Propane with 12V Battery	12 oz	240	12V DC	100	13,000	-	12.00	14.00	24.00	15.00	16.00	25.00	29
Gas Popper on Cart	12 oz	240	12V DC	100	13,000	-	18.00	44.00	56.00	28.00	47.00	61.00	185
20 oz Giant													
Electric Giant & OEM Popper	20 oz	400	120/208-120/240V/60HZ	3800	-	L14-30	10.50	10.50	27.50	25.00	28.00	35.00	100
Electric Giant on Knock Down Table 3.5'	20 oz	400	120/208-120/240V/60HZ	3800	-	L14-30	33.50	42.00	61.00	39.00	48.80	66.00	270
Electric Giant on Knock Down Table 4.5'	20 oz	400	120/208-120/240V/60HZ	3800	-	L14-30	30.50	53.00	61.50	39.00	57.60	66.00	300
Electric Giant on Knock Down Table 6'	20 oz	400	120/208-120/240V/60HZ	3800	-	L14-30	33.25	68.50	61.50	39.00	77.00	66.00	390
Electric Giant on Knock Down Table 6' Twin	2x20 oz	800	120/208-120/240V/60HZ	3800 3800	-	L14-30 L14-30	33.25	79.50	61.50	39.00	87.00	67.00	565
32 oz Giant													
Electric Giant & OEM Popper	32 oz	640	120/208-120/240V/60HZ	5200	-	L14-30	18.00	23.00	32.50	25.00	28.00	35.00	116
Gas Giant Propane/Natural* Equipped for Pump	32 oz	640	120V/60HZ	160	31,000	5-15	24.50	18.75	32.00	25.00	27.00	34.50	104
Electric Giant on Knock Down Table 3.5'	32 oz	640	120/208-120/240V/60HZ	5200	-	14-50	33.50	42.00	61.00	39.00	48.00	66.00	270
Electric Giant on Knock Down Table 4.5'	32 oz	640	120/208-120/240V/60HZ	5200	-	14-50	30.50	53.00	61.50	39.00	57.50	65.00	300
Electric Giant on Knock Down Table 6'	32 oz	640	120/208-120/240V/60HZ	5200	-	14-50	33.25	70.00	61.50	39.00	77.00	68.00	390
Electric Giant on Knock Down Table 6' Twin	2x32 oz	1280	120/208-120/240V/60HZ	5200 5200	-	14-50	33.25	81.00	61.50	37.00	87.00	66.00	565
Gas Giant Propane/Natural on Knock Down Table 3.5'	32 oz	640	120V/60HZ	160	3,100	5-15	33.50	47.00	61.00	39.00	50.50	66.00	286
Gas Giant Propane/Natural on Knock Down Table 4.5'	32 oz	640	120V/60HZ	160	3,100	5-15	30.50	58.00	61.50	39.00	57.50	65.00	365
Gas Giant Propane/Natural on Knock Down Table 6'	32 oz	640	120V/60HZ	160	3,100	5-15	33.25	72.00	61.50	39.00	80.00	65.00	365
Gas Giant Propane/Natural on Knock Down Table 6' Twin	2x32 oz	1280	120V/60HZ	160 160	3,100 3,100	5-15 5-15	33.55	102.00	61.50	39.00	104.50	68.00	550



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 | MAIN 847.616.6900 | FAX 847. 616-6970 | www.cretors.com

PRODUCTION TABLES AND CARTS 5.16

PRODUCTION TABLES AND CARTS - PEDESTAL-STYLE POPPER NORTH AMERICA												۱	
	ELECTRICAL						MACHINE DIMENSIONS INCHES			SHIP DIMENSIONS INCHES			ship Weight
MACHINE	KETTLE	SERVINGS	* VOLTAGE	WATTS	BTU	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
48 oz Giant													
Giant & OEM Popper	48 oz	960	120/208-120/240V/60HZ	6800	-	14-50	18.00	23.00	32.50	25.00	28.00	35.00	116
Electric Giant on Knock Down Table 4.5'	48 oz	960	120/208-120/240V/60HZ	6800	-	14-50	30.50	53.00	61.50	39.00	57.60	65.00	300
Electric Giant on Knock Down Table 6'	48 oz	960	120/208-120/240V/60HZ	6800	-	14-50	33.25	70.00	61.50	39.00	77.00	68.00	390
Electric Giant on Knock Down Table 6' Twin	2x48 oz	1920	120/208-120/240V/60HZ	6800 6800	-	14-50 14-50	33.25	81.00	61.50	37.00	87.00	66.00	565
60 oz Giant													
Giant & OEM Popper	60 oz	1200	120/208-120/240V/60HZ	6800	-	14-50	18.00	23.00	32.50	25.00	28.00	35.00	116
Gas Giant Propane/Natural *Equipped for Pump	60 oz	1200	120V/60HZ	160	50,000	5-15	21.25	21.00	33.00	25.00	27.00	34.50	115
Electric Giant on Knock Down Table 3.5'	60 oz	1200	120/208-120/240V/60HZ	6800	-	14-50	33.50	42.00	61.00	39.00	48.00	66.00	270
Electric Giant on Knock Down Table 4.5'	60 oz	1200	120/208-120/240V/60HZ	6800	-	14-50	30.50	53.00	61.50	39.00	57.00	65.00	300
Electric Giant on Knock Down Table 6'	60 oz	1200	120/208-120/240V/60HZ	6800	-	14-50	33.25	69.50	61.50	39.00	77.00	68.00	391
Electric Giant on Knock Down Table 6' Twin	2x60 oz	2400	120/208-120/240V/60HZ	6800 6800	-	14-50 14-50	33.50	81.00	61.50	37.00	85.00	66.50	565
Gas Giant Propane/Natural on Knock Down Table3.5'	60 oz	1200	120V/60HZ	160	50,000	5-15	33.25	47.00	62.00	39.00	53.50	66.00	286
Gas Giant Propane/Natural on Knock Down Table 6'	60 oz	1200	120V/60HZ	160	50,000	5-15	33.25	72.00	61.50	39.00	77.00	69.00	365
Gas Giant Propane/Natural on Knock Down Table 6' Twin	2x60 oz	2400	120V/60HZ	160 160	50,000 50,000		33.25	92.00	63.00	39.00	96.00	70.00	587

* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers.

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

OEM Poppers are designed with an extra set of switches that control other cabinet features (fan and lights).

All Giant poppers available in left hand or right hand dump.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.





DIL PUMPS, HEATERS AND WARMERS NORTH AMERICA											
	ELECTRICAL				MACHII	NSIONS	Ship	ship Weight			
MACHINE	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
7700 Automatic Bucket Pump, remote control	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Pump, self contained (use with Profiteer)	120V/60HZ	700	5.8	5-15	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Salt/Sugar Pump	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
Hot Rod	120V/60HZ	400	3.3	5-15	2.50	23.50	2.25	4.00	24.00	2.50	4
Bag-in-Box Pump with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	37
Bag-in-Box Pump Heated with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	35
Bag-in-Box Pump Heated with front/rear discharge	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Salt/Sugar Pump with Side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Backroom Warmer Heated 4 shelf unit	120V/60HZ	180	1.5	5-15	17.00	16.00	49.50	20.00	20.00	51.00	74

Contact Cretors for machine agency approval listings.





	ELECTRICAL				INE DIME		SHI	ship Weight				
MACHINE	KETTLE S	SERVINGS*	VOLTAGE	WATTS	BTU	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
12 oz Giant												
Giant Propane/Natural	12 oz	240	230V/50HZ	100	13,000	30.48	35.56	60.96	38.10	40.64	63.50	13.05
Gas Giant Propane with 12V Battery	12 oz	240	12VDC	100	13,000	30.48	35.56	60.96	38.10	40.64	63.50	13.05
Gas Popper on Cart	12 oz	240	12VDC	100	13,000	45.72	111.76	142.24	71.12	119.38	154.94	83.25
20 oz Giant					-							
Electric Giant & OEM Popper	20 oz	400	230V/50HZ	3800	-	26.67	26.67	69.85	63.50	71.12	88.90	45.00
Electric Giant on Knock Down Table 3.5'	20 oz	400	230V/50HZ	3800	-	85.09	106.68	154.94	99.06	123.95	167.64	121.50
Electric Giant on Knock Down Table 4.5'	20 oz	400	230V/50HZ	3800	-	77.47	134.62	156.21	99.06	146.30	167.64	135.00
Electric Giant on Knock Down Table 6'	20 oz	400	230V/50HZ	3800	-	84.46	173.99	156.21	99.06	195.58	167.64	175.50
Electric Giant on Knock Down Table 6' Twin	2x20 oz	800	230V/50HZ	3800 3800	-	84.46	201.93	156.21	99.06	220.98	170.18	254.2
32 oz Giant												
Electric Giant & OEM Popper	32 oz	640	230V/50HZ	5200	-	45.72	58.42	82.55	63.50	71.12	88.90	52.20
Gas Giant Propane/Natural *Equipped for Pump	32 oz	640	230V/50HZ	160	31,000	62.23	47.63	81.28	63.50	68.58	87.63	46.80
Electric Giant on Knock Down Table 3.5'	32 oz	640	230V/50HZ	5200	-	85.09	106.68	154.94	99.06	121.92	167.64	121.5
Electric Giant on Knock Down Table 4.5'	32 oz	640	230V/50HZ	5200	-	77.47	134.62	156.21	99.06	146.05	165.10	135.0
Electric Giant on Knock Down Table 6'	32 oz	640	230V/50HZ	5200	-	84.46	177.80	156.21	99.06	195.58	172.72	175.5
Electric Giant on Knock Down Table 6' Twin	2x32 oz	1280	230V/50HZ	5200 5200	-	84.46	205.74	156.21	93.98	220.98	167.64	254.2
Gas Giant Propane/Natural on Knock Down Table 3.5'	32 oz	640	230V/50HZ	160	3,100	85.09	119.38	154.94	99.06	128.27	167.64	128.7
Gas Giant Propane/Natural on Knock Down Table 4.5'	32 oz	640	230V/50HZ	160	3,100	77.47	147.32	156.21	99.06	146.05	165.10	164.2
Gas Giant Propane/Natural on Knock Down Table 6'	32 oz	640	230V/50HZ	160	3,100	84.46	182.88	156.21	99.06	203.20	165.10	164.2
Gas Giant Propane/Natural on Knock Down Table 6' Twin	2x32 oz	1280	230V/50HZ	160 160	3,100 3,100	85.22	259.08	156.21	99.06	265.43	172.72	247.5



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 | MAIN 847.616.6900 | FAX 847. 616-6970 | WWW.cretors.com

PRODUCTION TABLES AND CARTS 5.16

	ELECTRICAL						NE DIMEI		SHIF	ship Weight		
MACHINE	KETTLE S	SERVINGS*	VOLTAGE	WATTS	BTU	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
48 oz Giant												
Giant & OEM Popper	48 oz	960	230V/50HZ	6800	-	45.72	58.42	82.55	63.50	71.12	88.90	52.20
Electric Giant on Knock Down Table 3.5'	48 oz	960	230V/50HZ	6800	-	85.09	106.68	154.94	99.06	121.92	167.64	121.50
Electric Giant on Knock Down Table 4.5'	48 oz	960	230V/50HZ	6800	-	77.47	134.62	156.21	99.06	146.30	165.10	135.00
Electric Giant on Knock Down Table 6'	48 oz	960	230V/50HZ	6800	-	84.46	177.80	156.21	99.06	195.58	172.72	175.50
Electric Giant on Knock Down Table 6' Twin	2x48 oz	1920	230V/50HZ	6800 6800	-	84.46	205.74	156.21	93.98	220.98	167.64	254.25
60 oz Giant												
Giant & OEM Popper	60 oz	1200	230V/50HZ	6800	-	45.72	58.42	82.55	63.50	71.12	88.90	52.20
Gas Giant Propane/Natural *Equipped for Pump	60 oz	1200	230V/50HZ	160	50,000	53.98	53.34	83.82	63.50	68.58	87.63	51.75
Electric Giant on Knock Down Table 3.5'	60 oz	1200	230V/50HZ	6800	-	85.09	106.68	154.94	99.06	121.92	167.64	121.50
Electric Giant on Knock Down Table 4.5'	60 oz	1200	230V/50HZ	6800	-	77.47	134.62	156.21	99.06	144.78	165.10	135.00
Electric Giant on Knock Down Table 6'	60 oz	1200	230V/50HZ	6800	-	84.46	176.53	156.21	99.06	195.58	172.72	175.95
Electric Giant on Knock Down Table 6' Twin	2x60 oz	2400	230V/50HZ	6800 6800	-	85.09	205.74	156.21	93.98	215.90	168.91	254.25
Gas Giant Propane/Natural on Knock Down Table 3.5'	60 oz	1200	230V/50HZ	160	50,000	84.46	119.38	157.48	99.06	135.89	167.64	128.70
Gas Giant Propane/Natural on Knock Down Table 6'	60 oz	1200	230V/50HZ	160	50,000	84.46	182.88	156.21	99.06	195.58	175.26	164.25
Gas Giant Propane/Natural on Knock Down Table 6' Twin	2x60 oz	2400	230V/50HZ	160 160	50,000 50,000	84.46	233.68	160.02	99.06	243.84	177.80	264.15

* 1 oz servings per hour

• Contact Cretors for details

All Twin Poppers will have two power cords unless requesting 3-phase.

Call for 3-phase supply on Twin Poppers.

Wattages are split between two power cords on twin units.

All total machine watts include the pump watts.

OEM Poppers are designed with an extra set of switches that control other cabinet features (fan and lights).

All Giant poppers available in left hand or right hand dump.

Add 433 watts for Ventless Hood options.

Contact Cretors for machine agency approval listings.





DIL PUMPS, HEATERS AND WARMERS export – ce mark available											
	ELECTRICAL				MACHI		NSIONS	SHIP	ship Weight		
MACHINE	VOLTAGE	WATTS	AMPS		LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
7700 Automatic Bucket Pump, remote control	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Pump, self contained (use with Profiteer)	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Salt/Sugar Pump	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
Hot Rod	230V/50HZ	400	1.7		6.35	59.69	5.72	10.16	60.96	6.35	1.80
Bag-in-Box Pump with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	16.65
Bag-in-Box Pump Heated with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	15.75
Bag-in-Box Pump Heated with front/rear discharge	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Salt/Sugar Pump with Side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Backroom Warmer Heated 4 shelf unit	230V/50HZ	180	8		43.18	40.64	125.73	50.80	50.80	129.54	33.30

Contact Cretors for machine agency approval listings.







7900 Bag-In-Box Oil Pump





