### HD24 HOT DOG GRILL AND BUN WARMER • HD36 HOT DOG GRILL AND BUN WARMER • HOT DOG BROILER AND BUN WARMER

HOT DOG EQUIPMENT

Discover how easy it can be to cook and serve hot dogs from our state-of-the-art patented grills as well as our rotisserie-style cookers. Features such as Warm/Hold operation, a lift-off grill rack and digital temperature controls simplify your cooking and serving experience and ensure top quality.

#### HD36 Hot Dog Grill

- Cooks up to 36 hot dogs at once (5 hot dogs per pound)
- 10-12 minutes to cook thawed product, 30 minutes to cook frozen product
- Two digital temperature controllers with visual display ensure accurate temperature settings and readings
- Two separate heat zones enable user to cook on one side and warm on the other
- · Warm/Hold feature avoids overcooking the product
- · Moving grill provides complete product rotation on heat plate

HD36 Hot Dog Grill

and Bun Warmer with Guard

• Shown with sneeze guard (sold separately)

- More reliable with fewer parts needed for operation than other moving rack or roller-style grills
- · Superior heating eliminates cold spots in food product
- Easy to maintain and clean
- Stainless-steel cooking surface with aluminum heating plate underneath
- Grease trap permits the cooking of sausages
- Removable rack is dishwasher safe
- · Matching bun warmer available

#### HD36 Bun Warmer

- Dry and humid warming capabilities
- Holds up to 55 buns
- The isolated water tray keeps the bun product safe from splashing water and allows for controlled, humidified heat to keep the buns soft and fresh
- Optional digital temperature control





Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

The Cretors patented stainless-steel hot dog grill design includes a center drive shaft that reduces the number of moving parts from six to two, ensuring longer motor life and allowing full rotation of the product on the grill. The stainless-steel cooking surface has an aluminum heat plate underneath that evenly distributes heat. Visual digital temperature controls allow for precise temperature setting, and clear visual temperature display.

#### HD24 Hot Dog Grill

- Cooks up to 24 hot dogs at once (5 hot dogs per pound)
- 10-12 minutes to cook thawed product, 30 minutes to cook frozen product
- Digital temperature controller with visual display ensure accurate temperature settings and readings
- · Warm/Hold feature avoids overcooking the product
- Moving grill provides complete product rotation on heat plate
- More reliable with fewer parts needed for operation than other moving rack or roller-style grills
- · Superior heating eliminates cold spots in food product
- · Easy to maintain and clean
- Stainless-steel cooking surface with aluminum heating plate underneath
- Grease trap permits the cooking of sausages
- · Removable rack is dishwasher safe
- · Matching bun warmer available

#### HD24 Lighted Stackable Hot Dog Grill Stand

- Stainless-steel design
- Designed to sit on HD24 Bun Warmer
- Supports two HD24 Hot Dog Grills



#### HD24 Bun Warmer

- Dry and Humid capabilities
- Holds up to 30 buns
- The isolated water tray keeps the buns safe from splashing water and allows for controlled, humidified heat to keep the buns soft and fresh
- Optional digital temperature control



#### Hot Dog Broiler and Bun Warmer

- Holds 36 hot dogs
- Warms 48 buns
- Heats frozen products in 20 minutes



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



C. CRETORS AND COMPANY 176 Mittel Drive, Wood Dale, IL 60191 MAIN 847.616.6900 FAX 847. 616-6970 www.cretors.com

HOT DOG GRILLS AND BUN WARMERS 5.16

## HOT DOG GRILLS AND BUN WARMERS NORTH AMERICA

	ELECTRICAL					MACHINE DIMENSIONS INCHES			SHIP DIMENSIONS INCHES			ship Weight
MACHINE	APPROXIMATE CAPACITY	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
HD24 Hot Dog Grill	24 at once/ 144 per hour*	120V/60HZ	1000	8.3	5-15	22.00	22.00	8.00	26.00	24.00	12.00	44
HD24 Bun Warmer	36 buns	120V/60HZ	250	2.08	5-15	19.00	19.75	10.00	26.00	24.00	12.00	51
Stackable Hot Dog Stand	-	120V/60HZ	8	.06	5-15	22.00	18.00	17.75	26.00	22.00	22.00	•
HD36 Hot Dog Grill	36 at once/ 216 per hour*	120V/60HZ	1850	15.4	5-20	24.00	35.50	9.50	28.00	40.00	13.00	93
HD36 Bun Warmer	55 buns	120V/60HZ	350	2.9	5-15	21.00	34.00	7.75	26.00	40.00	10.00	73
Hot Dog Broiler and Warmer	36 hot dogs/48 buns	120V/60HZ	1200	10	5-15	25.00	35.50	17.00	29.00	39.00	20.00	70

## HOT DOG GRILLS AND BUN WARMERS EXPORT - CE MARK AVAILABLE

	ELECTRICAL			MACHINE DIMENSIONS CENTIMETERS			SHIP DIMENSIONS CENTIMETERS			ship Weight		
MACHINE	APPROXIMATE CAPACITY	VOLTAGE	WATTS	AMPS		LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
HD24 Hot Dog Grill	24 at once/ 144 per hour*	230V/50HZ	1000	4.3		55.88	55.88	20.32	66.04	60.96	30.48	19.8
HD24 Bun Warmer	36 buns	230V/50HZ	250	1.09		48.26	50.17	25.40	66.04	60.96	30.48	22.95
Stackable Hot Dog Stand	-	230V/50HZ	8	.03		55.88	45.72	45.09	66.04	55.88	55.88	•
HD36 Hot Dog Grill	36 at once/ 216 per hour*	230V/50HZ	1850	7.6		60.96	90.17	24.13	71.12	101.60	33.02	41.85
HD36 Bun Warmer	55 buns	230V/50HZ	350	1.4		53.34	86.36	19.69	66.04	101.60	25.40	32.85
Hot Dog Broiler and Warmer	36 hot dogs/48 buns	230V/50HZ	1200	5.2		63.50	90.17	43.18	73.66	99.06	50.80	31.5

\* 5 to 1 hot dogs - 5 hot dogs per pound

• Contact Cretors for details

Contact Cretors for machine agency approval listings.



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories.



HOT DOG GRILLS AND BUN WARMERS 5.16



# Hot Dog Grill 24







Part Number	Voltage	Wattage	NEMA Plug (Domestic)	Capacity
HD24XX-X	120v/60Hz; 230v/50Hz	1000	5-15	24
				A A A A A A A A A A A A A A A A A A A
			о 18.8 [ 48СМ] 20.9 [ 53СМ]	84 [2ICM]