



































27688 Industrial Blvd, Hayward, CA 94545 • Toll-Free: 877-Dawn-USA (877-329-6872) • Office: 510-723-0088 • Fax: 510-723-0099 • Email: dp@dawnusa.net • Web: www.dawnusa.net

Dawn Faucets Flow Rates

Picture	Model No. C Chrome	Model No. BN Brushed Nickel	Description	Memo	Flow Rate			
					Pressure		Flow Rate	
					MPA	PSI	Liter/Minute	GPM
AB MODELS								
Kitchen Faucets								
	AB33 3241C	AB33 3241BN	Pull-Out Kitchen Sink Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	4	1.06
	AB50 3079C	AB50 3079BN	Pull-Out Spray Kitchen Sink Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.5	1.72
	AB50 3084C	AB50 3084BN	Pull-Out Kitchen Sink Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	5.8	1.53
	AB50 3178C	AB50 3178BN	Single-Lever Kitchen Sink Faucet with Side Spray	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.7	1.77
Lavatory Faucets								
	AB03 1513C	AB03 1513BN	3-Hole Widespread Lavatory Faucet with Cross Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	7	1.85
	AB16 1513C	AB16 1513BN	3-Hole Widespread Lavatory Faucet with Lever Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	7	1.85
	AB33 1021C	AB33 1021BN	Single-Lever Tall Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	4.8	1.27
	AB33 1031C	AB33 1031BN	Single-Lever Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.7	1.77
	AB37 1023C	AB37 1023BN	Single-Lever Tall Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.7	1.77
	AB37 1433C	AB37 1433BN	Single-Lever Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.2	1.64
	AB78 1258C	AB78 1258BN	Single-Lever Square Lavatory Faucet with Sheetflow Spout	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	8.3	2.19
D MODELS								
Kitchen Faucets								
	D75 3325C	D75 3325BN	Single-Lever Kitchen Sink Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6	1.58
	D78 3258C	D78 3258BN	Single-Lever Kitchen Sink Faucet with Sheetflow Spout	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6	1.58
Lavatory Faucets								
	D33 1021C	D33 1021BN	Single-Lever Tall Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	4.8	1.27

	D33 1031C	D33 1031BN	Single-Lever Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.7	1.77
	D37 1023C	D33 1023BN	Single-Lever Tall Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.7	1.77
	D75 1129C	D75 1129BN	Single-Lever Square Tall Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.2	1.64
	D75 1229C	D75 1229BN	Single-Lever Square Lavatory Faucet	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	6.2	1.64
	D78 1158C	D78 1158BN	Single-Lever Square Tall Lavatory Faucet with Sheetflow Spout	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	8.3	2.19
	DS12 1018C	DS12 1018BN	3-Hole Widespread Lavatory Faucet with Lever Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	7	1.85
	DS12 1302C	DS12 1302BN	Double-Handle Centerset Lavatory Faucet with Lever Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	7	1.85
	DS13 1018C	DS13 1018BN	3-Hole Widespread Lavatory Faucet with Lever Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	7	1.85
	DS13 1302C	DS13 1302BN	Double-Handle Centerset Lavatory Faucet with Lever Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.41	60±1Psi	7	1.85
TUB FILLERS								
	D03 2503C	D03 2503BN	4-Hole Tub Filler with Personal Handshower and Cross Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	15.66	4.13
	D16 2503C	D16 2503BN	4-Hole Tub Filler with Personal Handshower and Lever Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	15.66	4.13
	D78 2262C	D78 2262BN	4-Hole Tube Filler with Personal Handshower, Square Handles and Sheetflow Spout	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	13.8	3.64
	DS12 2119C	DS12 2119BN	4-Hole Tub Filler with Personal Handshower and Lever Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	15.8	4.17
	DS13 2119C	DS13 2119BN	4-Hole Tub Filler with Personal Handshower and Lever Handles	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	15.8	4.17
VALVES & TRIMS								
	D1235901C	D1235901BN	Pressure-Balancing Valve and Trim (Shower Only)	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	5.8	1.53
	D1236001C	D1236001BN	Pressure-Balancing Valve and Trim with Push-Button Diverter (Shower and Bath)	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	5.8	1.53
	D1235701C	D1235701BN	Pressure-Balancing Valve and Trim (Shower Only)	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	9.7	2.56
	D1235801C	D1235801BN	Pressure-Balancing Valve and Trim with Push-Button Diverter (Shower and Bath)	cUPC® ASME A112.18.1/CSA B125.1; NSF/ANSI 61-2010; ISO/IEC 17025	0.14	20±1Psi	9.7	2.56