



DOUBLE DOOR PROOFER



Proofer Cabinet, Roll-In, Two Section Cavity, Designed in Single Rack, Double Rack, and Shelving Configurations, Solid State Heat & Humidity Controls, Auto Water Entry, Full View Glass Door, Stainless Steel Interior and Exterior, Aluminum Floor, NSF, cETLus, ETL



PROJECT _____
 ITEM NO. _____
 NOTES _____
 MODEL NUMBER: **E236, E236R, E236TLO**



*rack not included

FEATURES

- Even Airflow Heating System Maintains the Right Combination of Heat and Humidity for Optimal Proofing
- Proofs from Room Temperature up to 110°F (43°C)
- Relative Humidity up to 95%
- Automatic Water Fill System (no water pans required)
- Manual Controls
- Independent Controls for Heat, Humidity and Timer

CONSTRUCTION

- Stainless Steel Construction
- Aluminum Flush Floor Entry
- Ships in One Piece

CLEARANCES

Minimum Clearance from Combustible Materials:

- 4" (102mm) Sides & Back
- 24" (609mm) Top

OPTIONS & ACCESSORIES

- Stainless Steel Door (suffix SD)
- Door Bumpers (suffix DB)
- Prison Package (suffix PPE)
- Water Filter (PLF240) (recommended)
- Additional Side Shelves (E236R only)
- Pass-Through Construction

WARRANTY

- One Year Labor & Two Year Parts



Model	Crated Weight	Overall Dimensions				Single Rack Capacity	Door Opening	
		W	D	H	B		L	H
E236	800 (363)	67" (1702)	40 1/2" (1029)	84" (2134)	36" (914)	1 + 10 Shelves (or 2 racks)	27" (686)	73 1/2" (1867)
E236R	700 (318)	67" (1702)	40 1/2" (1029)	84" (2134)	36" (914)	2	27" (686)	73 1/2" (1867)
E236TLO	900 (409)	77 1/2" (1969)	48 1/2" (1232)	84" (2134)	44" (1118)	4 (or 2 doubles)	32 1/2" (826)	73 1/2" (1867)





PROJECT _____


ITEM NO. _____

NOTES _____

MODEL NUMBER:

E236, E236R, E236TLO

DRAWINGS



Model	Water Inlet	Electrical System*			
		Volts	Phases	Amps	kW
E236	1/4" (6)	120/208	1	35	7.2
		120/240	1	31	7.2
E236R	1/4" (6)	120/208	1	35	7.2
		120/240	1	31	7.2
E236TLO	1/4" (6)	120/208	1	35	7.2
		120/240	1	31	7.2

*GROUND WIRE NOT INCLUDED

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

KCL & REVIT DRAWINGS UPON REQUEST

REVISION B | 7/12/2021

Follow Us



Doyon

5600 13th Street, Menominee, MI 49858

906.863.4401 | 800.338.9886 | www.doyon.qc.ca

